

# **3rd International Congress on ADHD**

From Childhood to Adult Disease



26 - 29 May 2011 Berlin | Germany



www.adhd-congress.org



### Table of Contents

	Page		Page
Welcome Address	4	Electricity	12
		Lost and Found	
Organization	5	Mobile Phones	
		Programme Changes	
Acknowledgements	5	Climate	
-		Press	
Committees	6	First Aid	
		Patient's Day	
ICC Floor Plan	7	Insurance	
		How to get to the ICC	13
World Federation of ADHD	8	Car Park	
		Taxis	
General Assembly	8		
,		Supporting Programme	14
General Information		5 5	
Congress Venue	9	Format Descriptions	15
Congress Registration Counter		·	
Certificate of Attendance	9	Opening Ceremony	16
Name Badges			
Congress Language		Programme Overview	17
EACCME – Continuing Medical Education		-	
Publications for Proceedings		Scientific Programme	
Internet Centre	10	Thursday, 26 May 2011	21
Congress Information System		Friday, 27 May 2011	24
WLAN		Saturday, 28 May 2011	
Technical Exhibition		Sunday, 29 May 2011	
Poster Exhibition			
Awards		Satellite Symposia	64
Speakers Centre		• •	
Medical Historical Exhibition		Educational Goals	65
Restaurants			
Coffee Breaks and Lunch	12	List of Exhibitors and Map	70
Cloakroom		•	
Bank		List of Chairpersons and Presenters	71
C		•	



#### Welcome Address



Andreas Warnke

Dear colleagues,

In the name of the World Federation of ADHD it is our pleasure to welcome you here in Berlin to the 3<sup>rd</sup> International Congress on ADHD: From Childhood to Adult Disease for what – we are sure – will be a very enjoyable and highly informative conference. The key themes addressed will be the course of symptomatology in respect to transcultural influences, age and gender, developmental aspects of classification and co-morbidity; psychosocial and neurobiological aspects of aetiology, the latest update on genetics and neuroimaging, new findings in the psychotherapeutic and psychopharmacological treatment approaches, and features of life quality.



Manfred Gerlach

After the incredible success of the Vienna meeting 2 years ago – almost 2,000 participants from 70 countries attended – Berlin is the ideal setting to elucidate and discuss the current advances in basic science and clinical research that contribute to our understanding of ADHD as a lifespan disorder. Berlin provides a unique atmosphere of true international spirit as it is one of the most pluricultural cities in Europe attracting people from different cultural and ethnic backgrounds who peacefully live and work together. Today, the German capital is a modern, lively, vibrant, fascinating city in the centre of Europe offering a plethora of historical, cultural, scientific, architectural and other features and achievements which you will love to experience.

We are delighted to welcome internationally renowned speakers to address the exciting and important topic of ADHD in Plenary Symposia, Hot Topic Symposia, Debates, Workshops, Video Sessions, Educational Seminars and Meet-the-Experts Sessions. We are privileged to have this impressive faculty, with their wealth of global experience and expertise in ADHD research and service delivery, sharing their work with us here at this conference. In addition to the main conference programme, young talents will present their new ideas in Young Scientist Award Sessions. We are proud to have over 500 posters being presented in 41 Guided Poster Tours demonstrating the volume of research activity and evidence-based clinical practise in this field. We would like to encourage you to not only view these selected posters, but to also engage in an active discussion and exchange of ideas with our young colleagues.

Please come and enjoy the congress and the city to combine hard work with social and cultural highlights, and to come together to reinforce old friendships and create new ones as well as fruitful collaborations. But most of all, do not miss a unique opportunity to share the science that is the driving force of the World Federation of ADHD and our profession.

Thank you very much for your participation and valuable contribution.

Sincerly yours

Prof. Dr. Andreas Warnke Congress President President World Federation

of ADHD

Prof. Dr. Manfred Gerlach Chair Scientific Programme

Committee

### Organization

#### **CONGRESS PRESIDENT**

Prof. Dr. Andreas Warnke

Department of Child and Adolescent Psychiatry,

Psychosomatics and Psychotherapy

University of Würzburg

Füchsleinstr. 15

97080 Würzburg, Germany Phone: +49-931-201-78010 +49-931-201-78040

Email: warnke@kjp.uni-wuerzburg.de

#### SCIENTIFIC CONTACT

Prof. Dr. Manfred Gerlach

Department of Child and Adolescent Psychiatry,

Psychosomatics and Psychotherapy

University of Würzburg

Füchsleinstr. 15

97080 Würzburg, Germany Phone: +49-931-201-78010 +49-931-201-77680

Email: manfred.gerlach@kjp.uni-wuerzburg.de

#### **CONGRESS VENUE**

International Congress Center ICC Berlin Neue Kantstraße/Messedamm 14057 Berlin, Germany www.icc-berlin.de

#### **ORGANIZER**

#### World Federation of ADHD

Global Head Office **CPO HANSER SERVICE** Zum Ehrenhain 34 22885 Barsbüttel, Germany

Phone: +49-40-670 88 20 +49-40-670 32 83 Email: adhd@cpo-hanser.de

#### Verein zur Durchführung Neurowissenschaftlicher Tagungen e.V.

Paulsborner Str. 44 14193 Berlin, Germany

#### **CONGRESS AND EXHIBITION OFFICE**

### CPOMANSER® SERVICE

**CPO HANSER SERVICE** Zum Ehrenhain 34

22885 Barsbüttel, Germany Phone: +49-40-670 88 20 +49-40-670 32 83 Email: adhd2011@cpo-hanser.de

### Acknowledgements

The organizers of the 3<sup>rd</sup> International Congress on ADHD gratefully acknowledge the support of the following companies (as per May 2011):

#### PRINCIPLE SPONSORS

**Shire** Shire

#### **MAJOR SPONSORS**

Janssen



and Company





#### Committees

#### SCIENTIFIC PROGRAMME COMMITTEE

Chair: M. Gerlach, Germany

S. F. Ali, USA

T. Banaschewski, Germany

J. Buitelaar, The Netherlands

F. X. Castellanos, USA

S. C. Cho, Republic of Korea

D. Coghill, United Kingdom

J. Deckert, Germany

M. Döpfner, Germany

S. Faraone, USA

J. M. Fegert, Germany

A. Fossati, Italy

C. Freitag, Germany

R. R. Gainetdinov, USA

L. Greenhill, USA

D. A. Hay, Australia

J. Hebebrand, Germany

B. Herpertz-Dahlmann, Germany

M. Huss, Germany

S. Kasper, Austria

R. Klein, USA

S. Kooij, The Netherlands

C. J. Kratochvil, USA

K. Lange, Germany

J. O. Larsson, Sweden

G. Lehmkuhl, Germany

K.-P. Lesch, Germany

A. Miranda, Spain

M. Muenke, USA

O. O. Omigbodun, Nigeria

H. Ozawa, Japan

P. Pauli, Germany

A. Philipsen, Germany

F. W. Reimherr, USA

H. Remschmidt, Germany

P. Riederer, Germany

M. Rösler, Germany

L. A. Rohde, Brazil

A. Rothenberger, Germany

K. Rubia, United Kingdom

P.-A. Rydelius, Sweden

T. Saito, Japan

S. Shirataki, Japan

A. Seif El Din, Egypt

E. Sonuga-Barke, UK

R.-D. Stieglitz, Switzerland

Y. Taneli, Turkey

R. Tannock, Canada

E. Taylor, United Kingdom

J. Thome, Germany

O. Tucha, The Netherlands

A. Vetro, Hungary

R. Vermeiren, Belgium

S. Walitza, Switzerland

A. Warnke, Germany

M. Weiss, Canada

T. E. Wilens, USA

E. Wolters, The Netherlands

Y. Zheng, China

A. Zuddas, Italy

#### LOCAL ORGANIZING COMMITTEE

Chair: A. Warnke, Würzburg, Germany

U. Lehmkuhl, Berlin, Germany

A. Heinz, Berlin, Germany

I. Heuser, Berlin, Germany

#### POSTER PRIZE COMMITTEE

Chair: A. Kutzelnigg, Austria


C. Bachmann, Germany

M. Colla, Germany

A. Ströhle, Germany

M. Romanos, Germany

### ICC – Floor Plan



### World Federation of ADHD

#### World Federation of ADHD founded

In August 2008, the World Federation of ADHD (Attention Deficit Hyperactivity Disorder) and allied disorders was founded in Zurich, Switzerland. Prof. Dr. Andreas Warnke, Director of the Department of Child and Adolescent Psychiatry, Psychosomatics and Psychotherapy at the University of Würzburg, Germany was officially nominated the first president of this non-profit organisation.

ADHD is a highly heritable childhood-onset psychiatric condition which is characterized by age-inappropriate levels of the core symptoms inattention, hyperactivity and impulsivity. The disorder affects about 5 % of children world-wide. Recent scientific studies in ADHD reveal biological underpinnings such as multiple genetic factors, ADHD-related differences in brain structure and function, as well as changes in neurotransmitter components within the basal ganglia thalamocortical neurocircuitries. The purpose of the World Federation of ADHD and allied disorders is to support and promote clinical studies, scientific projects and training programmes in the field of ADHD and related disorders worldwide, as well as to enhance the exchange of information between scientists, physicians, health experts, ADHD lay organisations, and the public. As one of the major tools to achieve these goals, the International Congress on ADHD, which is now in its third successful year, was launched.

#### World Federation of ADHD, Global Head Office

CPO HANSER SERVICE Zum Ehrenhain 34 22885 Barsbüttel, Germany

**General Assembly** 27.5.2011, 13.00 – 14.00 h, Hall 6

Phone: +49-40-670 88 20 Fax: +49-40-670 32 83 Email: adhd@cpo-hanser.de



4th International Congress on ADHD

From Childhood to Adult Disease

6 – 9 June 2013 Milan, Italy

#### **CONGRESS VENUE**

International Congress Center ICC Berlin Neue Kantstraße/Messedamm 14057 Berlin, Germany www.icc-berlin.de

#### **CONGRESS REGISTRATION COUNTER**

All congress materials and documentation will be available from the congress registration counter located at the entrance level of the ICC Berlin.

Opening Hours	
Thursday, 26 May 2011	10:00-19:00 h
Friday, 27 May 2011	07:15-18:00 h
Saturday, 28 May 2011	07:15-17:30 h
Sunday, 29 May 2011	07:30-13:30 h

During these opening hours the congress counter can be reached at:

Phone: +49-30-3038-8198-1 Fax: +49-30-3038-81980

### The congress counter will be divided into the following sections:

#### On-site-registration

On-site registration for the congress.

#### Pre-registration paid

Participants who have already registered and paid for the congress will receive their documents here.

#### Pre-registration unpaid

Participants who have already registered for the congress, but not paid yet, will receive their documents here.

#### World Federation of ADHD

Information about the World Federation of ADHD and membership will be given here.

#### **Hotels and Tours**

Assistance for the reservation of hotel rooms or tours in Berlin will be provided.

#### **REGISTRATION FEES**

Registration and Payment	from 2 April 2011
Non member from Countries A <sup>1</sup>	EUR 500
Non member from Countries B <sup>1</sup>	EUR 400
Member World Federation of ADHD from Countries A <sup>1</sup>	EUR 450
Member World Federation of ADHD from Countries B <sup>1</sup>	EUR 350
Students and persons under 35 years*	EUR 350
Accompanying persons	EUR 80
Educational Seminars**	EUR 30
Meet the Expert-Sessions**	EUR 30

<sup>1)</sup> For list of countries A and B, please check the congress website or ask at the counter.

#### Registration fee for the participants includes:

- Admission to all scientific sessions
- Admission to poster and technical exhibition
- Conference materials (delegate bag, final programme, abstract book, etc.)
- ◆ Admission to the Opening Ceremony and Welcome Reception on Thursday
- Coffee breaks and light lunch from Thursday to Sunday

#### Registration fee for accompanying persons includes:

- Admission to the Opening Ceremony on Thursday
- A city sightseeing tour

#### On-site registration

On-site registration will be processed on a first-come, first-served basis. Priority will be given to pre-registered delegates. Depending on the number of on-site registered delegates, availability of congress bags may be limited.

#### **CERTIFICATE OF ATTENDANCE**

Please hand in your evaluation form at the counter for a certificate of attendance.



<sup>\*</sup> A copy of the passport and student identity card is necessary.

<sup>\*\*</sup>Only valid in combination with the congress registration fee.

#### NAME BADGES

All participants are requested to wear their name badge at all times during the congress. The colours of the name badges have the following significance:

Delegate: red Accompanying person: rose Exhibitor: green

#### **CONGRESS LANGUAGE**

The congress language is English. Simultaneous translations will not be provided.

#### **EACCME - CONTINUING MEDICAL EDUCATION**

The 3<sup>rd</sup> International Congress on ADHD is accredited by the European Accreditation Council for Continuing Education in Brussels (EACCME), an institution of the UEMS, to provide EACCME credits for the attendance at the scientific sessions of the core programme as well as for the educational seminars.

The 3<sup>rd</sup> International Congress on ADHD is designated for a maximum of 16 CME credit points of European external CME credits. Each medical specialist should claim only those hours of credit that he/she actually spent in the educational activity.

Moreover, the congress has been accredited with the following CME credit points from the medical chamber (Landesärztekammer) Berlin:

Half day: 3 credit pointsFull day: 6 credit pointsTotal: 21 credit points

Please hand in the evaluation form enclosed in the congress bag to receive a printed copy of the accreditation certificate.

#### **PUBLICATIONS FOR PROCEEDINGS**

The organizer of the congress retains the right to publish all material presented at the congress in any congress publication.

#### **INTERNET CENTRE**

Internet terminals are available to all delegates in the exhibition area on the lobby level of the ICC. The Internet Centre is accessible according to the opening hours of the exhibition.

### CONGRESS INFORMATION SYSTEM CO CONGRESS ONLINE®

#### www.adhd-congress.org

Participants can benefit from the web based ADHD Congress Information System CO CONGRESS ONLINE® on-site. They can set up and print out a personal congress programme schedule.

The ADHD Congress Information System provides information on:

- Updated scientific programme
- Programme by day
- Programme by formats with accepted abstracts of chairpersons and speakers
- Programme search
- List of participants (who is who)
- List of exhibitors
- General congress information
- Private mail box

#### WLAN

Free WLAN access is available in all lobbies. The networks name is: "ICC WIFI". The password is: "ADHD2011".

#### **TECHNICAL EXHIBITION**

The 3<sup>rd</sup> International Congress on ADHD will be accompanied by a technical exhibition taking place on the lobby level in the central lobby of the ICC Berlin. Coffee bars are located in the vicinity of the technical exhibition.

Opening hours	
Thursday, 26 May 2011	15:00-20:00 h
Friday, 27 May 2011	09:00-17:00 h
Saturday, 28 May 2011	09:00-17:00 h
Sunday, 29 May 2011	09:00-13:00 h

#### POSTER EXHIBITION

The poster exhibition of the 3<sup>rd</sup> International Congress on ADHD is located in the main lobby on the first floor (lobby level) of the ICC Berlin. Posters are allocated to 41 guided poster tours (P-01 to P-41). Posters will be changed daily and are on display for the entire day of the related poster tour. They will be sorted by topics and will be numbered within those topics. The poster exhibition is open to all participants:

#### Poster Exhibition Times for P-01 to P-21

Friday, 27 May 2011 09.00 – 17.00 h Guided Poster Tour 14.30 – 16.00 h

#### Poster exhibition Times for P-22 to P-41

Saturday, 28 May 2011 09.00 – 17.00 h Guided Poster Tour 14.30 – 16.00 h

Interested participants can meet the authors for discussions of their poster presentation during the time of the poster tour.

#### Set up times for posters

#### Poster Tour P-01 to P-21

 Set up:
 Thursday, 26 May 2011
 15.00 – 19.00 h

 Friday, 27 May 2011
 09.00 – 12.00 h

 Dismantling: Friday, 27 May 2011
 16.00 – 18.00 h

#### Poster Tour P-22 to P-41

Set up: Saturday, 28 May 2011 09.00 – 11.00 h Dismantling: Sunday, 29 May 2011 09.00 – 13.00 h

Posters which have not been removed within the indicated time schedule will be removed and disposed of. The poster size is 150 cm high and 95 cm wide (Portrait format).

#### **AWARDS**

Scientists have been encouraged to hand in their abstracts and apply for the following awards:

#### Poster Awards

All posters will be evaluated on site and the best of each poster tour will be displayed on separate poster walls after the tours. On Sunday, May 26<sup>th</sup> 2011, the best six posters will be selected out of all poster tours by the poster prize committee. Those posters will be awarded with a poster prize of EUR 500 each. The award ceremony will take place during the Closing Ceremony on the last congress day.

#### Young Scientists Awards

Young Scientists Sessions aim at encouraging young scientists to attend this interdisciplinary congress in the field of ADHD. The sessions will be composed of 20 minutes lectures. Eight young scientists' abstracts have been chosen by the scientific committee out of 200 applications for two sessions à four presenters. The sessions will be chaired by recognized experts for the featured topic. Speakers are requested to show via copy of their ID that they are younger than 40 years of age. The winners will receive a young scientist award of EUR 300 each and a free registration.

#### SPEAKERS CENTRE

The speakers centre is located next to the counter at the entrance level of the ICC. Speakers are asked to hand in their CD ROM or USB stick, containing the PowerPoint presentation (IBM format or compatible, no multisession) preferably one day before their presentation but at the latest 90 minutes prior to the presentation. The presentation will be transferred to the central congress server and will be available afterwards on a special congress notebook in the hall of the presentation. Due to time and technical reasons we kindly ask the speakers not to use their own notebook. Several PC working stations are provided in the speakers centre where speakers can also work on their charts in a quiet area. Technical staff will be glad to assist.

operated by **ESTENSIS**The Conference Company.

Estensis GmbH – the Conference Company

Opening Hours	
Thursday, 21 May 2011	10.00 – 18.00 h
Friday, 22 May 2011	07.15 – 18.30 h
Saturday, 23 May 2011	07.15 – 18.00 h
Sunday, 24 May 2011	07.30 – 13.00 h

#### MEDICAL HISTORICAL EXHIBITION

### A short history of ADHD – An historical overview on major achievements in research and therapy

This medical historical exhibition presents major achievements in research and therapy and honours major therapeutical contributions. Starting with the work of Heinrich Hoffmann, it features early contributions of George Frederick Still, Alfred Tredgold, Charles Bradley and Kramer/Pollnow as well as modern developments and the quest for new therapeutical approaches.

Dedicated to Prof. Dr. Andreas Warnke.



#### **RESTAURANTS**

Some restaurants are in walking distance of the congress venue and snack stations can be found within the exhibition area of the ICC.

#### COFFEE BREAKS AND LUNCH

Coffee and tea are served during the morning and afternoon coffee breaks from Thursday afternoon, 26 May to Sunday, 29 May 2011, free of charge to all registered participants. Additional coffee stations are located in the exhibition area of the ICC and at the entrance level next to the registration counter. A healthy lunch buffet will be served on Friday and Saturday to registered delegates.

#### **CLOAKROOM**

A cloakroom is available next to the registration counter on the ground floor. You can also store your luggage there. Price per item: EUR 1,70 per coat/EUR 2,30 per luggage item.

#### **BANK**

An ATM/cash machine is located within the entrance area of the ICC.

#### **CURRENCY**

The official German currency is Euro. Exchange of foreign currency is available at Berlin Airport and at most hotels, banks and exchange offices throughout the city.

#### **ELECTRICITY**

Germany uses a 230 volt 50 Hz system. Sockets have the European standard and plugs are two-prong grounded.

#### LOST AND FOUND

A lost and found service is available at the Information Counter of the ICC located on the entrance level of the congress venue.

#### **MOBILE PHONES**

Participants are kindly requested to keep their mobile phones turned off while attending the scientific sessions in the meeting rooms.

#### PROGRAMME CHANGES

The organizers cannot assume liability for any changes in the congress programme due to external or unforeseen circumstances.

#### **CLIMATE**

Berlin's climate is usually mild during the early summer months. At end of May, the average temperature is between 17°C (68°F) and 23°C (77°F) during the day. Fluctuation between day and night temperatures is about 10°C (50°F).

#### **PRESS**

Journalists should bring their valid press ID and register at the registration counter on the entrance level of the ICC.

#### FIRST AID

First aid is provided at the South East entrance. Counter staff is able to show the way.

#### PATIENT'S DAY

As in the former years, a patient's day will take place during the congress. This time, the patient's day will be held on Saturday, May 28, 2011, from 14.30–18.30 h.

#### The venue

Campus Virchow Klinikum Augustenburger Platz 1 13353 Berlin

#### **INSURANCE**

The congress fee does not include insurance. All participants should arrange for their own insurance. Health and accident insurance is recommended and has to be purchased in your country of origin.

#### HOW TO GET TO THE CONGRESS VENUE

Berlin has two airports, Berlin Tegel, which is located in the North-West of the city, and Berlin Schönefeld, which is in the South-East.

#### **From Airport Tegel**

Bus X9 (Express) or Bus 109: in direction of Zoologischer Garten, to stop S-Bahn or Jungfernheide, change in S42 (Ringbahn) in direction Westend, to stop Messe Nord/ICC.

#### From Airport Schönefeld

S9 in direction of Bahnhof Blankenburg to stop Ostkreuz, change into S3, S5, S75 to stop Westkreuz or Messe Süd.

#### From railway stations to exhibition grounds/ICC Berlin

Railway station Zoologischer Garten, railway station Charlottenburg, railway station Ostbahnhof und railway station Lichtenberg – exhibition grounds/ICC Berlin

 S 3, S 5, S 75 in direction Westkreuz/Olympiastadion/Spandau, to stop Westkreuz or Messe Süd

Railway station Schönefeld – exhibition grounds/ICC Berlin

◆ RE 7, RB 14, S 9 in direction of Ostkreuz, then change into S 3, S 5, S 75 to stop Westkreuz or Messe Süd Railway station Spandau – exhibition grounds/ICC Berlin

- S 3 in direction of Erkner, to stop Messe Süd
- S 75 in direction of Wartenberg, to stop Messe Süd

Railway station Potsdam – exhibition grounds/ICC Berlin

S 7 in direction Ahrensfelde, to stop Westkreuz

#### CAR PARK

Parking space is available next to the ICC Berlin and participants arriving by car are advised to use these facilities. Parking fees are not included in the registration fee. A daily ticket costs EUR 7,50.

#### **TAXIS**

A taxi stand is located on the lower level of the ICC Berlin. Participants can call taxis at the ICC information counter in the entrance foyer.





### Supporting Programme

Tours available will be assigned on a first-come, first served basis. We ask you to make your reservation at the congress counter. All tours will start and end at the ICC Berlin in front of the entrance.

#### SUPER CITY SIGHTSEEING TOUR OF BERLIN

#### Friday, 27.05.2011 and Saturday, 28.05.2011

14.00 – 17.00 h 14.00 – 17.00 h

(depending on number of participants)

Starting and end point: ICC

A city guide will introduce you to the city and explain its former unique status and its new situation. The bus tour will take through East and West Berlin, showing the most important sites like Potsdamer Platz, Checkpoint Charlie, Humboldt University, Museum Island and Brandenburg Gate. You will also pass the Russian memorial statue and get an overview of the newly built German Government area including the Reichstag.

Price per person: EUR 25,00

For registered accompanying persons this tour is complimentary and necessary to reserve prior to the congress. Please come to the registration counter to book this tour.

#### BERLIN FROM SPREE CANALS

Saturday, 28.05.2011

13.30 - 16.00 h

Starting and end point: ICC

Berlin was once Germany's second largest inland port. And the city still has more bridges than Venice! Travel by coach to the landing pier Schlossbrücke. There you will board a public sightseeing boat. See Berlin from an unusual and fascinating perspective during this cruise through some of the Spree River canals. You will see Charlottenburg Palace, then travel along the Spree to Berlin-Mitte, the historic heart of the city. Pass such famous sights as the Reichstag, the Berlin Cathedral and the Museum Island, site of one of the world's richest museum complexes, and the Nikolai Quarter. From here, a bus brings you back to the ICC.

Price per person: EUR 37,00



Hackesche Höfe

### Format Descriptions

#### PLENARY SESSIONS (PS)

Duration: 90 or 120 min.

Plenary sessions will feature authoritative scientific updates on a comprehensive range of topics. Each daily session is composed of three to four 30 minute lectures presented by international leaders in the field of ADHD.

#### HOT TOPIC SYMPOSIA (HT)

Duration: 90 min.

Parallel symposia will feature comprehensive reviews of the most recent research results as well as practical issues in the field of ADHD. Each symposium of 90 minutes contains a theme of topical interest and is composed of three or four lectures presented by internationally recognized clinicians and neuroscientists. Discussions welcome.

#### **EDUCATIONAL SEMINARS (ES)**

Duration: 45 min.

Educational Seminars are designed to be informal and interactive and will feature an update of current knowledge on clinical relevant topics. Each 45 minute seminar is composed of one or two lectures followed by a discussion. To facilitate discussions, attendance is limited. Therefore it is recommendable to book the ticket online already with the congress registration or to check ticket availability on site at the registration counter. Tickets are handled on a first-come, first-served basis.

Registration fee per session: EUR 30.

Only valid in combination with the congress registration fee.

#### MEET THE EXPERT SESSIONS (ME)

Duration: 45 min.

These interactive sessions have been organized to cover a variety of ADHD related topics. The aim is to provide an informal atmosphere where doctors and researchers can interact with experts in their fields, who will give their undivided attention for an hour. Knowledge, insight and first hand learning about the latest advancements will be possible. The sessions will be open to all but strictly on a first-come, first-served basis.

Registration fee per session: EUR 30.

Only valid in combination with the congress registration fee.

#### **GUIDED POSTER TOURS (P)**

Duration: 90 min.

All accepted poster abstracts will be presented during these tours. All expected posters will be sorted by topics and presented during guided tours. Posters will be changed daily and are on display for the entire day of the related day. Information regarding poster format, set-up and dismantling has been sent to the authors with their notification of abstract acceptance.

#### VIDEO SESSION (VS)

Duration: 90 min.

The Video Session will last 90 minutes. Two Chairpersons:, experts in the field of neurology and psychiatry, will present videos of scientific issues and will discuss the diagnosis with participants.

#### YOUNG SCIENTIST AWARD SESSIONS (YS)

Duration: 90 min.

Young Scientist Sessions aim at encouraging young scientists to attend these interdisciplinary congresses in the field of ADHD. The sessions are composed of 20 minutes lectures plus discussion. The sessions will be chaired by recognized experts for the featured topic. Speakers must be younger than 40 years of age.

#### WORKSHOPS (WS)

Duration: 90 min.

During workshops leading experts in the field of ADHD research held discussions with the attendees. These meetings are aimed at a specific, interactive and limited audience.

#### PRO AND CONTRA DEBATE (PCD)

Duration: 90 min.

Two experts discuss controversial aspects to an up-to-date topic within the field of ADHD.

#### SATELLITE SYMPOSIA

Duration: 60 - 90 min.

Satellite symposia will be organized by pharmaceutical companies and are open to all congress delegates.



### **Opening Ceremony**

#### Thursday, 26 May 2011

19.00 h, Hall 2, ICC Berlin

#### Welcome to Berlin

Moderator: Dr. Jakob Hein, Berlin, Germany

#### Welcome Address

Professor Dr. Andreas Warnke, Würzburg, Germany, Congress President Professor Dr. Ulrike Lehmkuhl, Berlin, Germany, Local Organizing Committee

Music by Männerwirtschaft – Music from the Comedian Harmonists

Florian Stern (1. Tenor)

Christoph Kalz (2. Tenor)

Julian Hirsch (Baritone)

Oliver Zimmer (Bass)

Alexander Fleischer (Piano)

Veronika, der Lenz ist da Wenn die Sonja russisch tanzt

Schöne Isabella von Kastilien

#### Opening Lecture

Introductory remarks: Professor Eric Taylor, London, United Kingdom

Professor Dr. Margeret Weiss, Vancouver, Canada CHAOS: The child health ADHD observational study

Männerwirtschaft – Music from the Comedian Harmonists

Wochenend und Sonnenschein Ich wollt', ich wär ein Huhn Mein kleiner grüner Kaktus

#### Männerwirtschaft – enjoy music from the times of the Comedian Harmonists

Five Berlin musicians form the ensemble Männerwirtschaft and fascinate many with their unique A Capella style. They will perform authentically classics from the original assembly, the Comedian Harmonists. Those were an internationally famous, all-male German ensemble that performed in the 1920s' and 1930s' as one of the most successful musical groups in Europe before World War II. The hallmark of the Comedian Harmonists was its members' ability to blend their voices together so that the individual singers could appear and disappear back into the vocal texture. Its repertoire was wide, ranging from the folk and classical songs arranged by Frommermann to appealing and witty popular songs of the day by writers such as Peter Igelhoff, Werner Richard Heymann and Paul Abraham (composer).

#### Welcome Reception and Get-Together

At the end of the Opening Ceremony all participants are invited to join the Welcome Reception in the exhibition area of the ICC Berlin.

Light snacks and beverages will be provided.

# Programme Overview – Thursday, 26 May 2011

Ro	oom	Hall 2	Hall 3	Hall 4/5	Hall 6	Hall 7	Hall 8	Entrance and Lobby Level
12.00								Registration 10.00–19.00 h on the Entrance Level
13.00								
14.00	_	HT-01 IMpACT symposium on adult ADHD	HT-02 Reward processing in children and adults with ADHD	<b>WS-01</b> ADHD and forensic psychiatry	WS-02 Cell culture experi- ments in ADHD	HT-03 Progress in understanding and treatment of ADHD — a neurobiological perspective	WS-03 Long-term effects of medication and psychotherapy in patients with ADHD	Technical Exhibition 15.00–20.00 h in the Central Lobby
15.00		<b>HT-05</b> Networking the adult networks	HT-06 International Col- laboration on ADHD and substance abuse	HT-07 Structural, functional and neuro- chemical correlates of adult ADHD: Do they differ from		HT-04 Biomarker candidates for the diagnosis, long-term course and therapeutic		
16.00						management of ADHD		
17.00			Coffee Break		SA-05 Medical treatment of adults with ADHD (MEDICE)	Coffee	e Break	
17.00			SA-01					
18.00			ADHD and adolescents (Eli Lilly and Company)					
19.00								
20.00		Opening Ceremony						

#### **Abbreviations**

PS	Plenary Session	ME	Meet the Experts-Session
SA	Satellite Symposium	HT	Hot Topic Symposium
WS	Workshop	YS	Young Scientist Award Session
ES	Educational Seminar	V	Video Session
P	Guided Poster Tour	PCD	Pro and Contra Debate

# Friday, 27 May 2011 – Programme Overview

Room	Hall 2	Hall 3	Hall 4/5	Hall 6	Hall 7	Hall 8	Salon 11/12	Salon 13 / 14	Entrance and Lobby Level
07.30 —									Registration
08.00 —			ES – 01 Organisation and carrying out of parent	ES – 02 ADHD and substance abuse	ES – 03 Comorbid disorders or attention	ME – 01 Diagnosis of ADHD	ME – 02 Pathogenesis of ADHD	ME – 03 Pharmacologi- cal treatment of ADHD	7.15 – 18.00 h on the Entrance Level
09.00 —	PS – 01 Update on diagnosis, classfication and aetiology								Technical Exhibition 9.00–17.00 h in the Central Lobby
10.00 —	of ADHD in childhood, adolescence and adulthood								
11.00 —				Coffee	e Break				
11.00	DC 00								
12.00 —	PS – 02 Update on neurobiology of ADHD								
13.00 —									
_	Lunch Break	SA-02 ADHD in Adolescents (Janssen Phar-		General Assembly of ADHD		Lunch	ı Break		
14.00 —		maceutica NV)							
15.00 —									Guided Poster Tours P-01 – P-21 in the Main
16.00 —				Coffee	e Break				Lobby
_	HT – 08 Next steps towards empirically supported	HT – 11 Interna- tional ADHD treatment guidelines for	HT – 10 Emotional symptoms in ADHD: Part of the disorder?	HT-09 KFO 125 ADH D	HT – 12 ADHD and conduct disorder from childhood to	YS-01 Young Scientist Award Session			
17.00 — —	psychosocial treatments for adult ADHD	childhood, adolescence and adulthood			adulthood				
18.00		SA-03 PUFAs and ADHD-More than an hypot- hesis? (Vifor Pharma)							
19.00									

# Programme Overview – Saturday, 28 May 2011

Room	m Hall 2	Hall 3	Hall 4/5	Hall 6	Hall 7	Hall 8	Salon 11/12	Salon 13 / 14	Salon 1516	Entrance and Lobby Level
07.30 -			ES-04 Diagnostic assessment of ADHD	ES – 05 Neurofeed- back in the doctor's office	ES – 06 Differential diagnosis of adult ADHD	ES – 07 Psychometric assessment of adult ADHD	ME – 04 Guidelines	ME – 05 ADHD over the lifetime	ME-06 Treatment of adult ADHD	Registration 7.15–17.30 h on the Entrance Level
09.00 -	PS – 03 Course, dif- ferential di- agnosis and									Technical Exhibition 9.00–17.00 h in the Central Lobby
10.00 -	co-morbidity of ADHD									
11.00 -					Coffee Breal	<				
12.00 -	PCD-01  The psychostimulant is not dangerous for the									
	patients									
13.00 -		<b>SA – 04</b> The Diversity of ADHD (Shire)				Lunch Break				
14.00 -		(, -								
15.00 -										Guided Poster Tours <b>P-22 – P-41</b> in the Main
16.00 -					Coffee Breal	<				Lobby
_	HT – 13 Non-phar- macologic interven-	HT-14 Impact of ADHD on the risk for	HT-16 Pharmaco- imaging in ADHD	HT-15 Circadian rhythmic- ity in ADHD	VS-01 Neuropsy- chiatric movement	YS – 02 Young Scientist Award Session II				
17.00 _	tions for the treatment of ADHD	delinquent behaviour		patients through life time	disorders in children, adolescents and adults					
18.00 –										
19.00 -										

# Sunday, 29 May 2011 – Programme Overview

Ro	oom	Hall 2	Hall 4/5	Hall 6	Hall 7	Hall 8	Salon 11/12	Salon 13/14	Salon 1516	Entrance and Lobby Level
07.30										Registration 7.30-13.30 h
08.00			ES - 08 Therapy of co-morbid disorders in child and	ES – 09 Therapy of co-morbid disorders in adult ADHD	ES – 10 Dialectical behavioural therapy-based treatment in	ES – 11 Coaching in adult ADHD	ES – 12 Molecular neuroimaging in adult ADHD:	ES – 13 Evidenced- based treatment of child and	ES – 14 The neurocog- nitive basis of ADHD – from cognitive	on the Entrance Level
09.00		PS – 04 Update on treatment of ADHD in	and and						cognitive	Technical / Poster Exhibition 9.00-13.00 h in the Central / Main Lobby
10.00										
					Coffee Break					
11.00										
12.00		PS – 05 Persistence of ADHD: Brain imaging, genetics and treatment								
13.00		Closing Ceremony								



### Scientific Programme – Thursday, 26 May 2011

HT-01 Hot Topic Symposium

13.00 – 14.30 h Hall 2

IMpACT symposium on adult ADHD

Chairpersons: K.-P. Lesch, Germany

B. Franke, The Netherlands

HT-01-01 Brachiating along the developmental

trajectory – on the persistence of intermediate ADHD phenotypes

B. Franke, The Netherlands

HT-01-02 Measuring the heritability of adult ADHD

P. Asherson, United Kingdom

HT-01-03 You can always blame your mother:

How maternal genotype contributes to offspring ADHD

J. Haavik, Norway

HT-01-04 Expanding the phenotype-shared risk

genes for bipolar disorder and adult ADHD

A. Reif, Germany

HT-02 Hot Topic Symposium

13.00 – 14.30 h Hall 3

Reward processing in children and adults with ADHD

Chairpersons: A. Ströhle, Germany

K. Rubia, United Kingdom

HT-02-01 Reward processing in children with

Attention Deficit Hyperactivity Disordera comparison between drug-naive and methylphenidate-treaded subjects and

**healthy controls**V. Jucksch, Germany

v. Jacksen, deminarry

HT-02-02 Reward processing in male adults with

childhood ADHD – a comparison between drug-naïve and methylphenidate-treated

subjects

M. S. Stoy, Germany

HT-02-03 A reward task for simultaneous EEG-

fMRI-neuroimaging: Pilot results for a

study with ADHD children

I. Wolf, Germany

HT-02-04 Altered reward processing in ADHD:

Information from fMRI and NIRS

A. Fallgatter, Germany

HT-03 Hot Topic Symposium

13.00 – 14.30 h Hall 7

Progress in understanding and treatment of ADHD-a neurobiological perspective

Chairpersons: A. Rothenberger, Germany

H.-C. Steinhausen, Switzerland

HT-03-01 Neuronal inhibition and its modulation

by TMS-neurotherapeutic perspectives

for ADHD

S. Bender, Germany

HT-03-02 Candidate genes in ADHD-the impor-

tance to elucidate differential functional

effects

T. Renner, Germany

HT-03-03 Neural correlates of processing emotional

stimuli in children and adolescents with ADHD: A fMRI study on serotonergic

modulation

F. Zepf, Germany

WS-01 Workshop

13.00 – 14.30 h Hall 4/5

ADHD and forensic psychiatry

Moderators: M. Rösler, Germany

W. Retz, Germany

S. Young, United Kingdom



# Scientific Programme – Thursday, 26 May 2011

WS-02	Workshop	HT-05	Hot Topic Symposium		
13.00-14.30	0 h Hall 8	14.30 – 16.00 h Hall 2			
	experiments in ADHD E. Grünblatt, Switzerland A. Ludolph, Germany		the adult networks s: S. Kooij, The Netherlands M. Weiss, Canada		
WS-03	Workshop	HT-05-01	<b>CADDRA, the Canadian network</b> M. Weiss, Canada		
13.00-14.30	0 h Hall 6	HT-05-02	The European network adult ADHD P. Asherson, United Kingdom		
patients with	D. Eich-Höchli, Germany	HT-05-03	<b>The Latin American network</b> E. Barragan, Mexico		
	GE. Trott, Germany	HT-05-04	APSARD, the USA network A. Rostain, USA		
HT-04	Hot Topic Symposium				
14.30-16.00	0 h Hall 7	HT-06	Hot Topic Symposium		
Biomarker ca	andidates for the diagnosis, long-term course	14.30 – 16.00	0 h Hall 3		
	utic management of ADHD s: M. Gerlach, Germany M. Romanos, Germany	abuse (ICASA	Collaboration on ADHD and substance A, www.adhdandsubstanceabuse.org) s: D. Hay, Australia		
HT-04-01	Neuropsychological assessment		G. van de Glind, The Netherlands		
HT-04-02	O. Tucha, The Netherlands  Olfaction in ADHD and comorbid disorders	HT-06-01	ADHD and substance abuse: Clinical and pharmacological perspectives W. van den Brink, The Netherlands		
HT-04-03	M. Romanos, Germany  Transcranial brain sonography in children and adults with hyperkinetic movement	HT-06-02	ADHD and substance abuse: A genetic perspective J. A. Ramos-Quiroga, Spain		
	<b>disorders</b> J. Buchmann, Germany	HT-06-03	ADHD and substance abuse: A longitudinal perspective		
HT-04-04	Biomarker Research – mRNA and protein expression analyses R. Taurines, Germany	HT-06-04	R. G. Klein, USA  ADHD and substance abuse: Challenges for harm minimisation		

S. Kaye, Australia

### Scientific Programme - Thursday, 26 May 2011

HT-07 Hot Topic Symposium

14.30–16.00 h Hall 4/5 19.00–20.45 h Hall 2

Structural, functional and neurochemical correlates of adult ADHD: Do they differ from childhood?

Chairpersons: L. Tebartz van Elst, Germany A. Fallgatter, Germany

HT-07-01 Structural correlates of adult ADHD: Do

they differ from childhood ADHD? K. Konrad, Germany

HT-07-02 Neurochemical findings using MR spec-

troscopy. Similarities and differences in

childhood and adult ADHD

E. Perlov, Germany

HT-07-03 Multimodal functional brain imaging

in ADHD: Do we have reliable markers

of ADHD dysfunction?
A. Fallgatter, Germany

HT-07-04 Fear acquisition and extinction in adult

ADHD: A simultaneous conditioning & fMRI study. Is there a specific pattern of dysfunctional emotional learning in

ADHD across the life span?
L. Tebartz van Elst, Germany

16.00 – 17.00 h Coffee Break

followed by a Welcome Reception

**Opening Ceremony** 

All participants are invited to join the Get-Together. Light snacks and beverages will be provided.



ES-01 Educational Seminar

07.45-08.30 h Hall 4/5

Organisation and carrying out of parent training

Chairperson: C. Neuhaus, Germany

ES-02 Educational Seminar

07.45-08.30 h Hall 6

ADHD and substance abuse: Problems and pitfalls in early identification and in treatment

Chairperson: D. Hay, Australia

ES-03 Educational Seminar

07.45-08.30 h Hall 7

Comorbid disorders or attention-deficit-spectrum disorders? What is the relationship between ADHD and Asperger's syndrome?

Chairpersons: L. Tebartz van Elst, Germany

F. Poustka, Germany

ME-01 Meet the Experts

07.45-08.30 h Hall 8

Diagnosis of ADHD

Expert: L. A. Rohde, Brazil

ME-02 Meet the Experts

Salon 11/12

Pathogenesis of ADHD

07.45-08.30 h

Expert: S. Faraone, USA

ME-03 Meet the Experts

07.45-08.30 h Salon 13/14

Pharmacological treatment of ADHD

Expert: L. Greenhill, USA

Please book your ticket for the Educational Seminar and the Meet the Experts-Sessions in advance at the registration counter due to limited number of participants. Only valid in combination with the congress registration fee.

Fee per course: EUR 30

PS-01 Plenary Session

08.30 – 10.30 h Hall 2

Update on diagnosis, classification and aetiology of ADHD in childhood, adolescence and adulthood

Chairpersons: A. Warnke, Germany L. A. Rohde, Brazil

PS-01-01 Key clinical developments relating to

the diagnosis of ADHD

L. A. Rohde, Brazil

PS-01-02 Different psychopathological dimensions

in adult ADHD

M. Rösler, Germany

PS-01-03 Are sensation seeking and hyperactivity

in both ADHD and mania reflecting an autoregulatory attempt to stabilize

wakefulness (vigilance)?

U. Hegerl, Germany

PS-01-04 Environmental influences in ADHD

J. Buitelaar, The Netherlands

10.30 – 11.00 h Coffee Break

PS-02 Plenary Session

11.00–12.30 h Hall 2

Update on neurobiology of ADHD

Chairpersons: S. Walitza, Switzerland

A. Rothenberger, Germany

PS-02-01 Genetic contribution to the development

of ADHD: Current state of the art

B. Franke, The Netherlands

PS-02-02 Imaging brain structure and function

in ADHD

U. Müller, United Kingdom

PS-02-03 Neurophysiology of ADHD

T. Banaschewski, Germany

12.30 – 14.00 h Lunch Break

General A	Assembly orld Federation of ADHD	P-01-06	The relationship of IVA and CBCL in the diagnosis of ADHD R. Rostami, Iran			
13.00-14.0	00 h Hall 6		A. Rahimi, S. Ramezanzadeh			
for member	rs only	P-01-07	The strength-based interview of behaviors, parent edition: Inter-rater relia-			
P-01	Guided Poster Tour		<b>bility and factor structure</b> P. Robaey, Canada			
14.30-16.0	00 h Main Foyer		R. Schachar, N. Forget-Dubois, G. Dionne, M. Boivin			
Chairpersor	Children and adolescents I ns: R. Taurines, Germany M. Danckaerts, Belgium	P-01-08	Qualitative approach to ADHD symptoms interpretation: Implications for differential diagnostics			
P-01-01	Attention Deficit Hyperactivity subtypes: Comorbidity, treatment response and		K. Romstein, Croatia			
parental characteristics O. Oner, Turkey P. Oner, E. Cop, K. Munir		P-01-09	The relationship of CAS and CBCL in the diagnosis of ADHD R. Rostami, Iran M. Imani, M. Rajabi			
P-01-02	Comparison between parental SNAP-IV, teacher's SNAP-IV and T.O.V.A. in regards to attention and impulsivity in children with ADHD  V. Hercigonja-Novkovic, Croatia D. Kocijan-Hercigonja		The comparison between children with Attention Deficit Hyperactivity Disorder with their parents in integrated visual and auditory test results R. Rostami, Iran M. Bidadian, J. Zarei			
P-01-03	Validity of the DSM-IV factor structure of ADHD in young adults D. Baeyens, Belgium L. Van Dyck, M. Danckaerts		W. Sidddian, J. Zaiei			
P-01-04	An experiential qualitative diagnosis instrument for self-image in ADHD children G. Cucu-Ciuhan, Romania					
P-01-05	When appearances can deceive: Final diagnoses of children and adolescents presenting with inattentive, hyperactive or impulsive symptoms in an out-patient child psychiatric unit E. Lordou, Cyprus A. Lordos, C. Lazarou, A. Lazarou, P. Mama,					

A. Paradeisioti



P-02	Guided Poster Tour	P-02-08	The impact of culture on language and speech competence of children with
14.30-16.00			ADHD L. Zasyekina, Ukraine
•	r: Children and adolescents I r: C. Freitag, Germany B. Maughan, United Kingdom	P-02-09	Analysis of leiter-r profiles in comparing ADHD children with high functioning
P-02-01	Anxiety symptomatology in ADHD children—a comparison study between probands and their siblings  D. Segenreich, Brazil		pervasive developmental disorder not otherwise specified in preschoolers F. Manti, Italy A. Fabrizi, F. Giovannone
	R. Suwwan, J. Sergeant, P. Mattos, D. Fortes, J. Torres, L. Novo	P-02-10	Neurological soft signs in children with Attention Deficit Hyperactivity Disorder compared to Asperger syndrome
P-02-02	The risk of overweight and obesity in boys with Attention Deficit Hyperactivity Disorder T. Hanc, Poland		E. D'Agati, Italy L. Casarelli, M. Pitzianti, A. Pasini
	A. Slopien, T. Wolanczyk	P-03	Guided Poster Tour
P-02-03	Game addiction and ADHD in early	14.30-16.00	) h Main Foyer
	elementary age children SC. Kim, Republic of Korea IW. Chung, SW. Park, H. Yoo, SC. Cho		v: Children and adolescents II :: S. Walitza, Switzerland F. Poustka, Germany
P-02-04	Neuropsychological profiles in ADHD preschoolers: Relation between executive functions and language competences M. G. Melegari, Italy M. Innocenzi, A. Costa, L. Canzano, F. Baccarin, F. Martines, S. LaPietra, A. Marano	P-03-01	Pervasive developmental disorders (PDD) with Attention Deficit Hyperactivity Disorder (ADHD) and chronic multiple tic disorder (CMTD) in children and adolescents  I. Martsenkovsky, Ukraine
P-02-05	Does the clinical profile of children with Attention Deficit Hyperactivity Disorder with comorbid mood disorder differ from those without comorbid mood disorder?	P-03-02	Family adversity risk factors for ADHD and associated disruptive behaviour disorders in Singapore N. Lim-Ashworth, Singapore Y. P. Ooi, C. G. Lim, D. S. Fung, R. P. Ang
	P. Palaniappan, India S. Seshadri, S. Srinath, S. Girimaji	P-03-03	ADHD and learning disabilities as factors of school unsuccess I. Martsenkovska, Ukraine
P-02-06	Comorbid Attention Deficit Hyperactivity Disorder in a sample of Brazilian children		I. Martsenkovsky, K. Svetlana
	with Attention Deficit Hyperactivity Disorders (ADHD) S. M. M. Palma, Brazil S. Rizzutti, L. F. Coelho, S. A. Oncalla, D. L. F. Barbosa, R. Barbosa, M. C. Miranda, O. F. A. Bueno, M. Muszkat	P-03-04	Attachment patterns in Attention Deficit Hyperactivity Disorder with and without Severe Mood Dysregulation: Preliminary results C. Paloscia, Italy C. Rosa, F. Manaresi, R. Alessandrelli, A. Ma-
P-02-07	A clinical study of phenomenology and comorbidity of ADHD in Indian children A. Vaithiyam, India K. Devendran		rianecci, A. Pasini

P-03-05	Bipolar disorder diagnostic among ADHD population use of child Bipola Questionnaire (CBQ, Papolos, 2006) AL. Thoumy, France A. Gaiffas, M. P. Bouvard		The influence of ADHD phenotype on screening for Dyslexia A. Duguid, United Kingdom U. Müller  ADHD in treatment seeking patients with
P-03-06	Attention Deficit Hyperactivity Disorder: Co morbidity and multimoda management of children attendin community clinic in a patch of Midessey UK P. Sahare, United Kingdom	ıl g	substance use disorders: prevalence and usefulness of the Adult ADHD Self- Report Scale (ASRS) as a screener M. Konstenius, Sweden S. Wallhed, G. van de Glind, W. van den Brink, J. Franck
P-03-07	Verbal turns difficulties in 4-5 years ol Saudi males with ADHD W. Al-Dakroury, Saudi Arabia N. Hewlett, J. Watson, H. Gardner		The possible role of childhood ADHD in the development of adult heroin dependence C. Barta, Hungary A. Szilagyi, K. Boor, A. Szekely, Z. Deme-
P-03-08	Do ADHD children with a CBCL Dysregulation profile have specific treatment outcomes, clinical an cognitive features?  H. Peyre, France M. Speranza, D. Purper-Ouakil	c	trovics, J. Csorba, M. Sasvari-Szekely  Association of atomoxetine treatment with substance use and abuse in a drug using population with Attention Deficit Hyperactivity Disorder
P-03-09	Reader profiles in ADHD subtypes in 7–10 years old children in Malag (Spain) MJ. Diaz, Spain MJ. Diaz, A. Lora-Espinosa, M. Lopez Zamora, J. L. Luque-Vilaseca, N. Mendoza	a P-04-06 <sup>/-</sup>	I. Petrakis, Greece G. Dermatis  ADHD and substance abuse: Could sensation seeking be a moderating factor? A. Burke, South Africa
P-03-10	Gender differences in internalized an externalized problems of children wit ADHD  I. Jerkovic, Serbia R. Damjanovic, Š. Golubovic	d	Teenage pregnancy, ADHD and co- existing substance misuse disorders; a review and exploration of 2 case studies D. Judge, United Kingdom S. Gracias
P-04 14.30 – 16.00	Guided Poster Tour	P-04-08 r	Internet addiction in male adolescents with untreated ADHD-first results of an out-patient diagnostic and treatment program in Berlin O. Bilke-Hentsch, Switzerland
Co-morbidity Chairpersons: P-04-01	G. van de Glind, The Netherlands W. van den Brink, The Netherlands  Adult Attention Deficit Hyperactivity Disorder and obesity: A case-control study M. F. Docet, Spain A. Larrañaga, J. L. Fernandez Sastre, L. F. Pé	ol .	T. Hellenschmidt  The impact of childhood ADHD on the severity of addiction, and on subsequent SUD treatment efficacy  M. Kapitány-Fövény, Hungary  Z. Demetrovics
	<b>study</b> M. F. Docet, Spain		



P-04-10	Substance use disorder with comorbid Attention Deficit Hyperactivity Disorder	P-05	Guided Poster Tour
	YA. Kaufmann, Switzerland JG. Bavarel, R. Khan, D. Zullino	14.30-16.00	h Main Foyer
P-04-11	Screening for ADHD among patients with SUD in the MMT Programme in Malaysia: A new avenue for SUD		r: Children and adolescents I : M. Romanos, Germany M. Schlander, Germany  ADHD is associated to atopic eczema
	<b>treatment</b> H. Peters, Malaysia		M. Romanos, Germany A. Buske-Kirschbaum, V. Rössner, S.Wei-
P-04-12	ADHD and addictions: Clinical characteristics and outcome in a residential treatment population T. Schneekloth, USA A. Rai, D. Hall-Flavin, V. Karpyak, L. Loukianova, J. Geske, J. Biernacka, M. Frye, D. Mrazek	P-05-02	dinger, J. Schmitt  Accidents and Attention Deficit Hyperactivity Disorder in 6 – 14-year-old schoolchildren in Andalusia (Spain)  A. Lora-Espinosa, Spain  M. J. Diaz-Aguilar, J. Murcia, M. Montes,  N. Martinez, M. I. Vazquez, A. Prosper, J. Ba-
P-04-13	Association between Attention Deficit Hyperactivity Disorder(ADHD) and craving among patients with Alcohol Use Disorders (AUD) A. Seitz, Switzerland P. Allemann, H. Klingemann, P. Eggli, Y. Burren, M. Wapp, K. Schläfli, S. Stutz, C. Buri, F. Moggi, I. Icasa	P-05-03	rea, R. Hergueta, R. Jimenez, N. Mendoza  The impact of coexisting mental health conditions on the cost of health service provision for children and adolescents with and without Attention Deficit Hyperactivity Disorder (ADHD) in Germany  M. Schlander, Germany
P-04-14	Validation research of modified Lesch Alcoholic Typology including group		O. Schwarz, GE. Trott, M. Viapiano, N. Bonauer, W. Scheller
	of alcohol addicted patients with co morbid ADHD spectrum disorders S. Syrek, Sweden M. Sznabowicz	P-05-04	ADHD co-morbidity of child and juvenile sex offenders C. Cangin, USA P. Taylor
P-04-15	Traits of attention deficit disorders in typologies of alcohol addiction S. Syrek, Sweden L. Lapiczak, P. Potapinski, M. Sznabowicz	P-05-05	Measures of inhibition support the prediction of early academic skills J. Merkt, Germany C. Gawrilow
P-04-16	Impulsiveness and TCI traits in amphetamine and multisubstance depended patients – preliminary report M. Sznabowicz, Poland S. Syrek, J. Iskra, B. Karakiewicz	P-05-06	Children suspected to have ADHD suffer from family dysfunction instead either as sole diagnosis or as a co-morbidity A. Schmidt, Brazil E. Paiva Ayres, C. Brandalise Antoniazzi, C. Hilgert, F. Mugnol, F. Driemeier, F. Dar- tora, D. Pianetti, J. Fries

P-05-07 P-05-08	Early school enrolment and increased rate of ADHD outpatient service use- risk of undue ADHD diagnosis? Ö. Albayrak, Germany S. Beck, J. Hebebrand Family healthcare and Attention Deficit	P-06-03	Incidence and prevalence of adult Attention Deficit Hyperactivity Disorder in a large managed care organization in Southern California A. Kawatkar, USA T. K. Knight, V. Sikirica, P. Hodgkins, R. A. Moss, M. H. Erder, M. B. Nichol
	<b>Hyperactivity Disorder in France</b> C. Gétin, France K. Keddad, M. Lecendreux	P-06-04	Atention Deficit Hyperactivity Disorder screening as three-way directon and interaction for the prevention of disorder
P-05-09	ADHD in Tunisia: Clinical and management particularities S. Othman, Tunisia		A. Lakic, Serbia A. Kesic
	Z. S. Abbes, S. Halayem, F. Charfi, A. Belhadj, A. Bouden, M. Halayem	P-06-05	Prevalence of Attention Deficit Hyperactive Disorder (ADHD) in school children in Al-Qaser district Jordan
P-05-10	Preschoolers with ADHD: Clinical presentation, demographic data, frequency		O. Nafi, Jordan
	of methylphendidate treatment and treatment response K. Borregaard, Denmark E. M. Olsen, T. Houmann, J. Dyrborg, C. Anhøj	P-06-06	Characteristics of ADHD subtypes in a group of children from canton Ticino G. P. Ramelli, Switzerland G. P. Ramelli
P-05-11	Epidemiological study on symptoms of attention deficit and hyperactivity in a sample of 847 Brazilian children of	P-06-07	Prevalence of ADHD in Lebanese schoolagend population S. Richa, Lebanon
	public schools, according to the DSM-IV and teachers' ratings S. Antoniuk, Brazil s. antoniuk, I. Bruck, M. C. Bromberg, E. Ma- luf, D. Carvalho, M. Richartz, M. Cat	P-06-08	Early hospital morbidity in children treated for Attention Deficit Disorder in Western Australia: A population data linkage study D. Silva, Australia L. Colvin, F. Stanley, C. Bower
P-06	Guided Poster Tour	P-06-09	<b>Prevalence of ADHD subtypes worldwide</b> M. Skounti, Greece
14.30-16.00	) h Main Foyer		L. Betts
	v: Children and adolescents II : L. A. Rohde, Brazil R. Anney, Ireland	P-06-10	Prevalence change trend of Attention Deficit Hyperactivity Disorder in Taiwan MY. Wang, Taiwan
P-06-01	The prevalence of ADHD in children at basque country J. M. Garcia Cruz, Spain X. Txakartegi, A. Bilbao		
P-06-02	A 3 year longitudinal ADHD and ODD prevalence research in a Turkish sample B. Kabukcu Basay, Turkey E. S. Ercan, L. A. Rohde, R. Kandulu, E. Uslu, C. Aydin		



P-07	Guided Poster Tour	P-07-09	The prevalence of Attention Deficit
14.30 – 16.00 Epidemiology Chairpersons			Hyperactivity Disorder in older adults in the Netherlands M. Michielsen, The Netherlands E. Semeijn, H. Comijs, A. Beekman, D. Deeg, S. Kooij
P-07-01	ADHD prevalence in a sample of obese women  B. P. Nazar, Brazil C. Moreira de Sousa Pinna, R. Suwwan, J. A. Sergeant, P. Mattos	P-07-10	Persistance of ADHD symptoms into seniority – related with social functioning F. Philipp-Wiegmann, Germany I. Rauber, A. Schmitt, M. Bauer, W. Retz, M. Rösler
P-07-02	Profile of psychiatric comorbidity, health history and socio-demographic characteristics in a sample of Puerto	P-07-11	Why blindness adolescence doesn't report ADHD problems? H. Saberi, Iran
	Rican prison inmates with ADHD symptomatology M. Velez Pastrana, Puerto Rico R. Gonzalez, E. Lopez Toro, L. Estrada Rivera, C. Albizu Garcia	P-07-12	Relationships between sleep, seasonal affective symptoms, health, and ADHD: The ASESA study D. Bijlenga, The Netherlands K. B. van der Heijden, M. Breuk, M. E. H.
P-07-03	ADHD: A new diagnosis in elderly populations  A. Rojo Pantoja, Spain  J. L. Fernandez Sastre, E. Fernandez	P-08	Lie, E. J. W. van Someren, H. J. T. Swaab- Barneveld, J. J. Sandra Kooij  Guided Poster Tour
	3. 2 c	F-00	Guided Foster Iour
P-07-04	ADHD and mild cerebral dysfunction in adult psychosomatic patients M. H. Warnke, Germany M. Linden	14.30 – 16.00 Genetics stud Chairpersons	dies s: KP. Lesch, Germany
P-07-04	adult psychosomatic patients M. H. Warnke, Germany M. Linden  Do prison inmates with ADHD differ from psychiatric outpatients with ADHD and healthy controls in ADHD symptom profiles and executive functions? Y. Ginsberg, Sweden	Genetics stu	dies s: KP. Lesch, Germany T. Renner, Germany  The accumulation of several recessive markers by psychic desadaptacion O. Drevitska, Ukraine
	adult psychosomatic patients M. H. Warnke, Germany M. Linden  Do prison inmates with ADHD differ from psychiatric outpatients with ADHD and healthy controls in ADHD symptom profiles and executive functions? Y. Ginsberg, Sweden T. Hirvikoski, N. Lindefors  ADHD prevalence in medical students at Ross University School of Medicine S. Davenaranand, USA	Genetics stur Chairpersons P-08-01	dies s: KP. Lesch, Germany T. Renner, Germany The accumulation of several recessive markers by psychic desadaptacion
P-07-05	adult psychosomatic patients M. H. Warnke, Germany M. Linden  Do prison inmates with ADHD differ from psychiatric outpatients with ADHD and healthy controls in ADHD symptom profiles and executive functions? Y. Ginsberg, Sweden T. Hirvikoski, N. Lindefors  ADHD prevalence in medical students at Ross University School of Medicine	Genetics stur Chairpersons P-08-01	dies s: KP. Lesch, Germany T. Renner, Germany  The accumulation of several recessive markers by psychic desadaptacion O. Drevitska, Ukraine  Methylenetetrahydrofolate reductase gene polymorphisms in children with Attention Deficit Hyperactivity Disorder C. Gökçen, Turkey

P-08-04	Effect of the serotonin transporter gene promoter polymorphism on inattentive symptoms in a population representative sample of adolescents  E. Kiive, Estonia  D. Eensoo, HM. Loit, J. Harro	P-08-11 P-08-12	Why do ADHD symptoms and reading disability co-occur? A longitudinal genetic study of more than 12000 twins C. Greven, United Kingdom F. Rijsdjik, P. Asherson, R. Plomin
P-08-05	Effect of ADRA2A and BDNF gene – gene interaction on the continuous performance test phenotype HW. Kim, Republic of Korea SC. Cho, BN. Kim Kim, JW. Kim, S. Y. Kim	P-08-12	Association study on NPY and NPY1R and body weight in ADHD T. Renner, Germany S. Baranski, T. Seip, T. Nguyen, M. Romanos, J. Heinrich, C. Tiesler, M. Gerlach, A. Warnke COMT x DRD4 epistasis impacts neural
P-08-06	Association between BAIAP2 gene polymorphisms and Attention Deficit Hyperactivity Disorder in Han Chinese Subjects Z. Li, People's Republic of China Y. Wang, Q. Qian, Y. Chen, N. Ji, L. Liu, H. Li, L. Yang	F-V0-13	and behavioral response control in adult patients with Attention Deficit Hyperactivity Disorder (ADHD) and healthy controls S. Heinzel, Germany C. G. Bähne, M. Heine, A. Boreatti-Hümmer, C. P. Jacob, T. J. Renner, A. Reif, KP. Lesch, A. J. Fallgatter, AC. Ehlis, T. Dresler
P-08-07	Shared genetic influences on parent, teacher and self-ratings of ADHD symp- toms: A twin study in early adolescence A. Merwood, United Kingdom C. Greven, T. Price, G. McLoughlin, J. Kuntsi, H. Larsson, P. Asherson	P-08-14	Family based genetic study of child ADHD and DRD2/ANKK1 gene in a french sample M. Wohl, France C. Boni, D. Purper-Ouakil, S. Bahabori
P-08-08	Male biasness of Attention Deficit Hyperactivity Disorder: Importance	P-09	Guided Poster Tour
	of dopaminergic gene variants and environment	14.30-16.00	) h Main Foyer
	K. Mukhopadhyay, India M. Das, N. Bhaduri, A. Das Bhowmik,	Etiopathoger	
	K. Sarkar, P. Ghosh, K. Sarkar, A. Ray, A. Chatterjee, S. Sinha	Chairpersons	E. Grünblatt, Switzerland SC. Cho, Republic of Korea
P-08-09	<ul> <li>K. Sarkar, P. Ghosh, K. Sarkar, A. Ray,</li> <li>A. Chatterjee, S. Sinha</li> <li>Preliminary results show no distinct pattern of 5,10-methylenetetrahydropholate reductase gene polymorphisms in Attention Deficit and Hyper-</li> </ul>	P-09-02	
P-08-09	<ul> <li>K. Sarkar, P. Ghosh, K. Sarkar, A. Ray,</li> <li>A. Chatterjee, S. Sinha</li> <li>Preliminary results show no distinct pattern of 5,10-methylenetetrahydropholate reductase gene polymor-</li> </ul>	·	SC. Cho, Republic of Korea  Alexithymia and attachment styles in parents of Children with Attention Deficit Hyperactivity Disorder C. Paloscia, Italy C. Rosa, F. Manaresi, R. Guerini, A. Pasini  Hyper reaction of the defense administration in the human brain:
P-08-09	K. Sarkar, P. Ghosh, K. Sarkar, A. Ray, A. Chatterjee, S. Sinha  Preliminary results show no distinct pattern of 5,10-methylenetetrahydropholate reductase gene polymorphisms in Attention Deficit and Hyperactivity Disorder  A. Tufekci, Turkey	P-09-02	SC. Cho, Republic of Korea  Alexithymia and attachment styles in parents of Children with Attention Deficit Hyperactivity Disorder C. Paloscia, Italy C. Rosa, F. Manaresi, R. Guerini, A. Pasini  Hyper reaction of the defense



P-09-05	ADHD symptoms in adults are related to the biological clock H. Caci, France V. Oliveri, K. Dollet	P-10-03	ADHD and psychosocial stressors. The DTI findings about myelinization process among these patients I. Souza, Brazil R. Dominguez, P. Mattos ,E. Curty
P-09-06	Environmental exposure to bisphenol A and phthalates in relation to childhood attention, behavior, learning, and intelligence, as well as the diagnosis of Attention Deficit Hyperactivity Disorder SC. Cho, Republic of Korea SB. Hong, JW. Kim, EJ. Park, MS. Shin, BN. Kim, HJ. Yoo, IH. Cho, SY. Bhang, YC. Hong	P-10-04	Examining volumetric differences in the PFC of a pediatric spanish sample with ADHD and normal controls using a highly-calibrated manual tracing protocol E. Direnfeld, Canada M. A. Garcia-Barrera, J. Hatter, R. Caulfield, L. Shayegi Nick, J. Wilson, N. Trujillo-Orrego, E. Perez-Hernandez
P-09-07	The therapeutic pet as a supporting form of intervention in child "pseudobehavior" Attention Deficit and Hyperactivity Disorder (ADHD)  E. Fourlani, Greece P. Gouveris, E. Michael, T. Syriopoulou, E. Karachanidi, K. Straka, I. Maggana, A. Hristopoulou	P-10-05	fMRI study with MSIT: Difference in neural activity between school age children with Attention Deficit Hyperactivity Disorder compared with healthy school age controls A. Rizzoli-Cordoba, Mexico N. Gonzalez, S. Liendo, E. Barragan
P-09-08	Ferritin and hyperactivity symptoms in a large clinical sample P. Oner, Turkey O. Oner, E. Cop, K. Munir	P-10-06	Magnetic Resonance spectroscopy study in cerebellar vermis difference between school age children with Attention Deficit Hyperactivity Disorder compared with healthy school age controls
P-10	Guided Poster Tour		E. Barragan, Mexico N. Gonzalez, S. Garza, J. Hernandez, F. Eduardo
14.30 – 16.00	O h Main Foyer	D 40 07	
	lies: Children and adolescents s: K. Konrad, Germany K. Rubia, United Kingdom	P-10-07	Difference in the cerebellar vermis volume between school age children with Attention Deficit Hyperactivity Disorder compared with healthy school
P-10-01	Single-dose Methylphenidate normalized resting-state brain dysfunction in boys with Attention Deficit Hyperactivity Disorder: A functional MRI study		<b>age controls</b> N. Gonzalez, Mexico S. Liendo, J. L. Madrigal, J. Hernandez, E. Barragan, S. Garza, A. Rizzoli
	L. An, People's Republic of China X. Cao, Y. Zang, Q. Cao, L. Sun, J. Ren, Z. Qing, Y. Wang	P-10-08	The impact of reward on episodic memory formation in attention-deficit/hyperactivity disorder
P-10-02	Default mode network abnormality in medication-naive ADHD boys : Resting- state fMRI study J. Choi, Republic of Korea B. Jeong		U. Malecki, Germany E. Duezel, H. Hinrichs, C. Rehe, S. Tyll, T. Noesselt, HH. Flechtner, K. Krauel

P-10-09	chological analysis in a sample of ADHD children C. B. de Mello, Brazil	P-11	Guided Poster Tour
		14.30 – 16.00 Imaging studi	•
	A. Jackowski, R. G. Nogueira, S. Rizzutti, O. F. A Bueno, M. Muszkat		ES. Adults : L. Tebartz van Elst, Germany A. Konrad, Germany
P-10-10	P-10-10 Differences in neurometabolites measurementes in the cingulus of scholar patients with and without Attention Deficit Hyperactivity Disorder by proton MR spectroscopy  M. Pizarro, Mexico A. Rizzoli, E. Barragan, E. Flores, A. Partida,	P-11-01	Altered integrity of cerebellar white matter in adult patients diagnosed with ADHD P. Goll, Germany S. Maier, E. Perlov, S. Klöppel, D. Endres, A. Philipsen, L. Tebartz van Elst
P-10-11	S. Garza  Functional connectivity patterns differences in drug naive children with ADHD during working memory-related	P-11-02	Cerebellar volume deficits in adult ADHD S. Maier, Germany E. Dieter, E. Perlov, S. Klöppel, A. Philipsen, L. Tebartz van Elst
	processes H. Slama, Belgium P. Peigneux, A. Mary, M. Kavec, S. Linotte, D. Balériaux, T. Metens, I. Massat	P-11-03	A proton MRS study of the basal ganglia, dorsolateral prefrontal cortex and parietal lobe in adults with Attention Deficit Hyperactivity Disorder
P-10-12	10-12 Adolescent brain have different activation pattern against different reward condition  J. Son, Republic of Korea		S. Maltezos, United Kingdom S. Coghlan, T. Lavender, R. O'Gorman, C. Skirrow, K. Xenitidis, P. Mark, D. Spain, P. Asherson, D. Murphy
WH. Choi,  P-10-13 Is the clin biochemic Deficit Hyp	WH. Choi, YR. Kim, S. Y. Park  Is the clinical, cognitive and brain biochemical expression of Attention Deficit Hyperactivity Disorder different in children born late preterm versus	P-11-04	Amygdala subdivision connectivity in adult patients with ADHD M. M. Plichta, Germany S. Esther, D. Mier, C. Sauer, O. Grimm, A. B. M. Gerdes, D. Sabljic, B. Alm, P. Kirsch
	children born at term? L. Ben Amor, Canada S. Chantal, A. Bairam	P-11-05	Functional brain imaging of delay aversion in adult ADHD G. Wilbertz, Germany
P-10-14	Basal ganglia differences between good or bad responders to metilphenidate in ADHD children. A VBM and a ROI-based study A. Moreno, Spain L. Duñó, E. Hoekzema, M. Picado, L. M. Mar- tin, O. Vilarroya		A. Trüg, J. Blechert, L. Tebartz van Elst, E. Sonuga-Barke
		P-11-06	No difference of dopamine transporter availability in adults with Attention Deficit Hyperactivity Disorder CB. Yeh, Taiwan MC. Lo, CJ. Chang, KH. Ma, WS. Huang
		P-11-07	3D brain SPECT imaging of ADHD presenting as Borderline personality disorder: A case report H. Schneider, Canada M. McLean, M. Freeman, J. Thornton, M. van Lierop, R. Tarzwell



P-11-08	Correlation of inattention and impulsivity with regional brain volume in adult patients with ADHD A. Konrad, Germany T. Dielentheis, G. Vucurevic, M. Huss Increased Creatin, Cholin and Glutamat+ Glutamin (Glx) concentrations in hyperactive patients with ADHD D. Endres, Germany E. Perlov, S. Maier, P. Goll, A. Philipsen,	P-12-07 P-12-08	Higher order theory of mind in preschool boys at risk of ADHD M. Wozniak-Prus, Poland E. Pisula  Sensory processing profile in children with Attention Deficit Hyperactivity V. Tiemi Shimizu, Brazil M. Carolina Miranda  Working memory deficits in Attention
P-12	L. Tebartz van Elst  Guided Poster Tour		<b>Deficit Hyperactivity Disorder</b> K. Knight, USA A. Scheres
14.30 – 16.00 Pathophysiolo		P-12-09	Working memory performance of children with ADHD versus clinical controls J. Lemiere, Belgium E. Rymen, J. Dillen, M. Danckaerts
P-12-01	AC. Ehlis, Germany  Psychomotor profile of children with Attention Deficit Hyperactivity Disorder combined type J. Goulardins, Brazil E. Barbante Casella, J. Marques, M. Periotto,	P-12-10	Analysis of affective disorder in children with Attention Deficit Hyperactivity Disorder-ADHD by Rorschach Test R. Figaro, Brazil C. A. Araujo, M. Muszkat, M. C. Miranda, S. Rizzutti, S. M. M Palma, L. F. Coelho, F. Dias, O. F. A Bueno
P-12-02	S. Pacheco, T. Freire, U. Reed  The relation between cognitive empathy, beliefs about aggression and proactive aggression in children and adolescents with disruptive behaviour disorders L. Su, Singapore Y. P. Ooi, R. P. Ang, SJ. Weng, J. C. Liu, A. Raine, D. S. Fung	P-12-11	Clinical and neuropsychological profile in a sample of children with Attention Deficit Hyperactivity Disorders (ADHD) S. Rizzutti, Brazil L. F. Coelho, S. M. Mota Palma, R. Figaro, D. Barbosa, F. Dias, M. Miranda, O. F. A. Bueno, M. Muszkat
P-12-03	Motivation and interference control in	P-13	Guided Poster Tour
	children and adolescents with Attention Deficit Hyperactivity Disorder: A research	14.30 – 16.00	) h Main Foyer
	<b>plan</b> I. Ma, The Netherlands K. H. Putnam, A. Scheres		ogy: Children and adolescents II : I. Wolf, Germany V. Jucksch, Germany
P-12-04 P-12-05	The differential aspects of cognitive profiles of students with Attention Deficit Hyperactivity Disorder À. Mies, Spain A. Fornieles, E. Jurado, M. Quintana Children with ADHD show the same	P-13-01	Symptoms of Attention Deficit Hyperactivity Disorder in children: Differential effects on response inhibition? L. Sorensen, Norway K. J. Plessen, S. Adolfsdottir, E. Wehling, A. J. Lundervold
1-12-03	pattern of impairment in working and long-term memory S. Rhodes, United Kingdom J. Park, S. Seth, D. Coghill	P-13-02	Selected executive functions in ADHD diagnosed children M. Dabkowska, Poland W. Chytra-Gedek, M. Mitros

P-13-03 P-13-04	Comparison of neuropsychological functions in subtypes of children with ADHD MS. Shin, Republic of Korea JK. Ahn Visuospatial abilities in children with and	P-13-12	A qualitative study on the effects of silently-whispered and/or softly-pronounced vs loud and serious verbal instructions during occupational therapy sessions on an iranian sample of children with Attention Deficit Hyperactivity Disorder
	without Attention Deficit Hyperactivity Disorder H. Alizadeh, Iran S. Dehghan Manshadi		S. Nakhai, Iran F. Behnia
P-13-05	A comparison of children's attention and	P-14	Guided Poster Tour
	cognitive function across noise conditions – a randomized controlled study SY. Bhang, Republic of Korea J. Lee, C. Lee, J. Yoon, C. Shim, J. Sung	Pathophysiolo Chairpersons	·
P-13-06	Neuropsychological functioning in clinical subtypes of drug naïve girls with Attention Deficit Hyperativity Disorder C. Paloscia, Italy R. Alessandrelli, C. Rosa, A. Pasini	P-14-01	Self-report of executive function deficits and self-concept in adults with ADHD R. Drechsler, Switzerland P. Rizzo, HC. Steinhausen
P-13-07	Attentional impairment in children with Attention Deficit Hyperactivity Disorder Z. S. Abbes, Tunisia A. Bouden, MC. Bourdel, K. Tabbane, I. Amado	P-14-02	Utility of the INECO Frontal Screening (IFS) for the detection of executive dysfunction in patients with adult ADHD and bipolar disorder  B. Sandra, Argentina E. Gleichgerrcht, H. Urquina, A. Lischinsky,
P-13-08	Attention supporting conditions enhance recognition of emotional facial expressions (REFE) in children with ADHD  R. Geva, Israel  D. Tamari	P-14-03	M. Roca, F. Manes, T. Torralva  Classification of ADHD and healthy control adults using event-related potentials and independent component analysis  A. Müller, Switzerland
P-13-09	Investigation of the relationship bet- ween executive functions and theory of mind in Attention Deficit Hyperactivity		G. Candrian, J. D. Kropotov, G. M. Baschera, V. Arntsberg Grane, V. Ponomarev
	<b>Disorder</b> H. Slama, Belgium P. Mousty, P. Peigneux, I. Massat, A. Mary	P-14-04	Frequency and dental consequences of bruxism in adults with Attention Deficit Hyperactivity Disorder (ADHD) M. A. Silva, Brazil
P-13-10	Fluency strategies in ADHD: Language- based compensatory behavior in task solving		L. M. D. Aguiar, E. F. O. Firsoff, C. M. Agra, M. Louza, G. F. Vieira
	A. Takács, Hungary A. Kóbor, Z. Tárnok, V. Csépe	P-14-05	Neuropsychological assessment of executive functions and psychology profile in adult with ADHD
P-13-11	Is dual task coordination available in ADHD? K. Inasaridze, Georgian V. Bzhalava, L. Chikvaidze		B. Rubio, Spain J. Bravo, S. Hernández, P. Gonzalez Perez



P-14-06 P-14-07	Performance in the game of dice task in adults with ADHD S. Matthies, Germany J. Svaldi, C. Nober, A. Philipsen  Emotion regulation by the use of mindfulness instruction in adult Attention Deficit Hyperactivity Disorder S. Matthies, Germany	P-15-02	Attention Deficit Hyperactivity Disorder (ADHD) and Autism Spectrum Disorder (ASD): A case series demonstrating improved outcome when comorbid ADHD is treated with long-acting stimulant medication (LAS) G. Farrelly, Canada M. Zwiers
P-14-08	J. Svaldi, C. Sadohara, P. Borel, A. Philipsen  Adult ADHD and sensation seeking  TL. Austin, South Africa	P-15-03	Aripiprazole in children and adolescents with conduct disorder: A single-center, open-label study E. S. Ercan, Turkey
P-14-09 P-14-10	Attention Deficit Hyperactivity Disorder, reactive inhibition and emotional regulation in Puerto Rican adults T. Ilarraza, Puerto Rico M. Velez Pastrana, M. Rivera, J. Rodriguez Emotional reagibility and working me-	P-15-04	T. Uysal, E. Ercan, Ü. Akyol Ardiç  Does medication alleviate executive working memory deficits in children with ADHD?  T. Schleepen, The Netherlands L. Jonkman
P-14-10	mory performance-differential effects of emotional interference control in subjects with and without ADHD I. Marx, Germany G. Domes, C. Havenstein, C. Berger, L. Schulze, S. C. Herpertz	P-15-05	Methylphenidate-induced changes of cerebral frontal inhibitory functions in patients with Attention Deficit Hyper- activity Disorder T. H. Kim, Republic of Korea DH. Song, SJ. Klm
P-14-11	Neurocognitive deficiencies in adult ADHD; cognitive functions as marker and core deficit O. Pazvantoglu, Turkey A. Aker Alptekin, K. Karabekiroglu, G. Sarisoy, S. Akbas, S. Baykal, I. Zabun Korkmaz, E. Alkan Pazvantoglu, O. Boke, A. Rifat Sahin	P-15-07	Five year follow up of psychosocial, sexual and academic outcome in children with Attention Deficit Hyperactivity Disorder (ADHD) under treatment R. Sagar, India K. Sinha Deb, M. Mehta
		P-15-08	Effectiveness of treatment on psychosocial adjustment and academic out-
P-15	Guided Poster Tour		come in children with Attention Deficit Hyperactivity Disorder (ADHD): A six
_	ical treatment: Children and adolescents I : T. Banaschewski, Germany		month follow-up study K. Sinha Deb, India R. Sagar, A. Mittal, M. Mehta
P-15-01	A. Ludolph, Germany  Examining the efficacy of atomoxetine on measures of cognition, emotional function and anxiety in children and adolescents with ADHD – The ACTION study  M. Kohn, Australia  T. W. Tanga, D. F. Harmans, S. D. Clarko, G.	P-15-09	Evaluation of cardiovascular effects of atomoxetine treatment upon children with Attention Deficit Hyperactivity Disorder C. Gökçen, Turkey A. Sert, E. Aypar, D. Odabas
	T. W. Tsang, D. F. Hermens, S. D. Clarke, C. R. Clark, C. Lamb, D. Efron, N. Cranswick,		

L. M. Williams

P-15-10	Effects of w3 Long-Chain Polyunsa- turated Fatty Acids (LCPUFA) supple- mentation on information processing of ADHD children medicated with Methylphenidate	P-16-04	Methylphenidate effect on neuro-connitive test battery E. S. Ercan, Turkey E. Ercan, F. S. Durak
	D. Isenberg Bechar, Israel R. Geva, E. Granot, D. Margalit	P-16-05	Possible interaction effect of dopa- minergic and noradrenergic gene polymorphisms on methylphenidate
p o a	The efficacy of ultralow doses of \$100 protein antibodies in complex treatment of children with ADHD associated with anxiety		response in a Korean ADHD sample S. B. Hong, Republic of Korea HJ. Yoo, BN. Kim, MS. Shin, SC. Cho, JW. Kim
	E. Sagutdinova, Russia N. Semenova, E. Prokopieva, E. Naboychenko, S. Blokhina	P-16-06	Monoamine oxidase a gene is associated with methylphenidate response in ADHD children: Results in two independent
P-15-12	P-15-12 Treatment response heterogeneity in children with ADHD during treatment with modified-release methylphenidate in the observational OBSEER study M. Döpfner, Germany C. Hautmann, A. Rothenberger		samples L. Yang, People's Republic of China Y. Chen, L. Liu, H. Zhang, Y. Wang
		P-16-07	Pharmacotherapy of Attention Deficit Hyperactivity Disorder in children with epilepsy A. Kesic, Serbia
P-16	Guided Poster Tour		A. Lakic, V. Milovanovic, P. Ignjatovic
14.30–16.00 h Main Foyer  Pharmacological treatment: Children and adolescents II Chairpersons: HC. Steinhausen, Switzerland A. Kutzelnigg, Austria  P-16-01 A single-center, single-blind, randomized,		P-16-08	Treatment adherence of osmotic release oral system-methylphenidate in children and Adolescents with Attention Deficit Hyperactivity Disorder H. Yoo, Republic of Korea B. Kim, A. Y. Son, C. Suh
	oral dose cross-over study in prepuberal boys with ADHD to investigate efficacy and bioequivalence of two modified release Methylphenidate formulations C. Fleischhaker, Germany K. Hennighausen, K. Schneider-Momm, E. Schulz	P-16-09	Alterations of oral language in the Attention Deficit Hyperactivity Disorder and correlation with stimulant treatment M. Periotto, Brazil E. Barbante Casella, S. Pacheco, S. Branco, U. Reed
P-16-02	Side effects in adhd patients treated with methilphenidate: A comparison between different formulations M. Pinto, Portugal C. Cordovil, C. Amado	P-16-10	A re-examination of acute tolerance, Tachyphylaxis and Hysteresis Loop in the Pharmacokinetics and Phar- macodynamics of immediate release methylphenidate in individuals with
P-16-03	Effect of increasing doses of methylphenidate as a function of free salivary cortisol and comorbid anxiety in children with ADHD P. Robaey, Canada R. Menneh, P. Hastings, I. Fortier, L. Simard		ADHD M. Cavangh, Canada M. Denis, D. Quinn



P-16-11	Effects of methylphenidate treatment on ROS formation in the blood of children with ADHD P. Heiser, Germany O. Sommer, A. Hoinkes, M. Röttinger, U. Hopt, A. Schmidt, E. Schulz, K. Hennighausen, HW. Clement	P-17-05	A randomised, double-blind cross-over, single-centre study to evaluate patient and physician reported outcomes on Concerta-Oros-Methylphenidate vs. the Generic Novo-Methylphenidate ER-C A. Fallu, Canada F. Daboux
P-16-12	Osmotic-controlled release oral delivery system Methylphenidate treatment reduces parental stress in children and adolescents with Attention Deficit Hyperactivity Disorder in Korea H. Yoo, Republic of Korea	P-17-06	Comparative effects of Methylphenidate and Atomoxetine on AQT processing speed in ADHD Adults: Preliminary findings N. P. Nielsen, Denmark E. H. Wiig
	J. M. Ahn, B. Kim, Y. J. Park	P-17-07	The positive impact of methylphenidate in a sample of patients with Irritable
P-17	Guided Poster Tour		<b>Bowel Syndrome</b> T. Freire Barbosa, Brazil
14.30 – 16.00	•		E. Barbante Casella
_	ical treatment: Adults I : M. Rösler, Germany C. Jacob, Germany	P-17-08	Driving performance of patients with Attention Deficit Hyperactivity Disorder (ADHD) after treatment with
P-17-01	Usage trends of ADHD medication by bipolar patients with attentional deficits I. Szpindel, Canada R. McIntyre		methylphenidate (MPH): Systematic review of randomized controlled trials M. A. Gobbo, Brazil M. Louza
P-17-02	Systematic parametric assessment of attentional dysfunction in medicated adult patients with attention-deficit hyperactivity disorder W. Schwarzkopf, Germany	P-17-09	Does Biphentin have a significant clinical impact on attentional networks in individuals with ADHD? K. Saliba, Canada U. Jain, R. Tannock
	K. Hennig-Fast, U. Müller, T. Frodl, H. Müller, R. Engel, M. Riedel, HJ. Möller, K. Finke	P-17-10	Predictive factors for more than 3 years duration of central stimulant treatment
P-17-03	Long acting Methylphenidate improves cortical dysinhibition in adults with ADHD: A study with paired pulse Transcranial Magnetic Stimulation M. Schneider, The Netherlands W. Retz, G. Gougleris, W. Verhoeven, J. Tulen, M. Rösler		in adult ADHD: A retrospective, natura listic study T. Torgersen, Norway B. Gjervan, H. M. Nordahl, K. Rasmussen
		P-17-11	Relapse of comorbid substance use disorder during central stimulant treat- ment in severe adult ADHD
P-17-04	Mood stabilization protocol mitigates risk in high-risk ADHD		T. Torgersen, Norway B. Gjervan, K. Rasmussen, H. M. Nordahl
	A. Ocana, Canada R. Rivers	P-17-12	<b>Driving risk in adult ADHD patients</b> U. Jain, Canada K. Saliba, R. Yoon

P-18	Guided Poster Tour	P-18-07	Pharmaceutical treatment of Attention Deficit Hyperactivity Disorder (ADHD)
14.30-16.00	h Main Foyer		in adults - an overview of available
Pharmacological treatment: Adults II Chairpersons: R. W. Dittmann, Germany A. Reif, Germany			studies and the medical situation in Germany based on a health technology assessment D. Benkert, Germany
P-18-01	Psychopharmacological treatment of ADHD patients older than 50 years – a pilot study M. B. Lensing, Norway P. Zeiner, S. Opjordsmoen	P-18-08	KH. Krause, J. Wasem, P. Aidelsburger  Pharmacological treatment for ADHD in adults: The Italian reality  B. Plattner, Italy  E. Duregger, A. Conca
P-18-02	A pilot study on the effects of nicotine on attention and concentration in students with adult ADHD symptomatology S. Sayce, South Africa A. Burke	P-18-09	Functional impairments of adult ADHD patients with or without co-morbid generalized anxiety before and after treatment with stimulants or non-stimulants: A comparative naturalistic
fetamine dimesylate in adults w Attention Deficit Hyperactivity Disorc Randomized withdrawal design M. Gasior, USA	Maintenance of efficacy of lisdexam- fetamine dimesylate in adults with Attention Deficit Hyperactivity Disorder:		<b>study</b> S. Mousa, Canada A. Gabriel
	Randomized withdrawal design M. Gasior, USA M. Brams, R. Weisler, R. Findling, M. Ham-	P-18-10	Individualized dosing with OROS® Methylphenidate to optimize treatment in adults with Attention Deficit Hyperactivity Disorder B. Schaeuble, Germany H. L. Starr, R. B. Armstrong, YW. Ma, S. Ascher
P-18-04	Long duration of efficacy of lisdexam- fetamine dimesylate, the first prodrug for Attention Deficit Hyperactivity		
	<b>Disorder</b> M. Gasior, USA S. Wigal, T. Wigal, J. Gao, C. Richards	P-18-11	Oros methylphenidate and patient- reported work-related outcomes in adults with Attention Deficit Hyper-
P-18-05	Metadoxine – a novel non-stimulant extended-release drug for treating adhd I. Manor, Israel Y. Daniely, D. Meggido, R. Yamin, A. Weizman		activity Disorder B. Schaeuble, Germany S. Ascher, YW. Ma, H. L. Starr
P-18-06	The effect of OROS methylphenidate	P-19	Guided Poster Tour
	and long-acting amphetamine salts on cognitive tasks in adults with Attention	14.30-16.00	) h Main Foyer
	Deficit Hyperactivity Disorder: An open trial with blind placebo control comparison	•	cological treatment: Children and adolescents I : T. Jans, Germany F. Zepf, Germany
	T. Simon, Canada M. Bilodeau, M. Beauchamp, R. Elie, P. Lespérance, S. Dubreucq, JP. Dorée, S. V. Tourjman	P-19-01	Neurofeedback and standard pharmacological intervention in the improvement of Attention Deficit Hyperactivity Disorder symptomatology: Preliminary findings V. Meisel, Spain G. García-Banda, E. Cardo, M. Servera, P. Aggensteiner, T. Pérez, J. Picardo, I. Moreno



P-19-02	Determining the effectiveness of reality therapy on reducing depression amongst mothers with children afflicted with Attention Deficit Hyperactivity Disorder  M. Darini, Iran P. Azizi Khereshki, H. Davoodi, D. Darini	P-19-10	Treatment of ADHD in affected mothers and children—a randomized controlled multicentre trial: Patient enrolment and basic characteristics of the study sample T. Jans, Germany C. Jacob, K. Hennighausen, E. Graf, M. Rösler, S. Haenig, E. Sobanski, L. Poustka, M. Colla, R. Burghardt, A. Philipsen
P-19-03	Effect of music training and movement on redusing the symptoms of Attention Deficit Hyperactivity Disorder M. Esteki, Iran Z. Atashkar	P-19-11	A comparative study of effectiveness of neurofeedback and ritalin on improving coduct problems and hyperactivity of connors' index
P-19-04	Changes in omega 3/6 fatty acid plasma profiles in a randomized placebo- controlled study in children and adole-		M. Jadidi, Iran E. Foroozandeh, M. M. Shamsaee, H. R. Nikkhah
	scents with ADHD M. Johnson, Sweden JE. Månsson, S. Östlund, G. Fransson  Empowerment and Insight Center for students with learning disabilities and ADHD	P-19-12	The influence of yoga on the attention deficit and lateral dominance discoordination of children with Attention Deficit Hyperactivity Disorder (ADHD) L. Azhdehfar, Iran P. Golkarian  Children with ADHD attended outpatient clinic and day care program: The impact of psychosocial intervention A. Al Ansari, Bahrain
P-19-05			
	O. Tykochinsky, Israel A. Frishman Shetrit	P-19-13	
P-19-06	Creativity training effects upon concept map complexity of children with Attention Deficit Hyperactivity Disorder (ADHD): An experimental study K. Alkahtani, Saudi Arabia		
<u> </u>		P-19-14	Effects of computer base of attention training on sustain attention performance in children with Attention Deficit
P-19-07	Cognitive behavioral therapy in the treatment of children with Attention Deficit Hyperactivity Disorder L. F. Coelho, Brazil M. C. Miranda, D. L. F Barbosa, S. Rizzutti, M. Muszkat, S. M. M Palma, F. Rosangela, F. Dias, O. F. A Bueno		<b>Hyperactivity Disorder</b> S. Bakhshi, Iran E. Pishyareh, F. Behnia, V. Nejati
		P-19-15	What changes in preschollers with ADHo symptoms after a 14 week parenta intervention: Preliminary results A. Azevado, Portugal M. J. Seabra-Santos, M. F. Gaspar, T. Homem
P-19-08	An experiential-based psychotherapeutic plan for Attention Deficit Hyperactivity Disorder in children G. Cucu-Ciuhan, Romania		S. Leitão
P-19-09	InterActIVE: An approach of group- therapy for adolescents with AD(H)D T. Krause, Germany		

P-20	Guided Poster Tour		Effectiveness of guided parental self-help for parents of children with ADHD: An
14.30-16.00	) h Main Foyer		interim report on the study sample
	cological treatment: Children and adolescents II : O. Tucha, The Netherlands		L. Mokros, Germany N. Benien, M. Döpfner
U. Strehl, Germany		P-20-08	Effects of teaching problem solving skills on attention and social skills of students
P-20-01	Cognitive rehabilitation using Pay Attention! Program in children with ADHD D. Barbosa, Brazil		with ADHD A. Parand, Iran M. Shokoohi-Yekta, S. Salem
P-20-02	The effectiveness of using Perceptual- Motor Practices on behavioral disorder among five to eight year old children with Attention Deficit Hyperactivity Dis- order F. Dehghan, Iran E. Pishyareh, F. Behnia, N. Amiri, M. Saf-	P-20-09	Effects of cognitive-behavioral stress management on parent-child relation- ship and mental health of mothers of children with ADHD A. Parand, Iran M. Shokoohi-Yekta
	arkhani  Effects of combined treatment on turkish children diagnosed with Attention Deficit Hyperactivity Disorder: A 12-month follow up study	P-20-10	Eye movement and cognitive training in children with Attention Deficit Hyper- activity Disorder J. Sarzynska, Poland A. Orylska, H. Lubanski
P-20-03			
	E. S. Ercan, Turkey A. Kutlu, S. Durak, U. Akyol Ardic	P-20-11	Attention training in children with Attention Deficit Hyperactivity Disorder J. Sarzynska, Poland
P-20-04	Effects of tactile and vestibular stimulation in reducing the symptoms of Attention Deficit and Hyperactivity Disorder M. Ghahramany, Iran M. Estaki, H. Ashayari, M. Ghahramani	P-20-12	Incredible years parent training program in ADHD: Parents attendance and satisfaction  M. J. Seabra-Santos, Portugal  M. F. Gaspar, A. Azevedo, T. Homem,
P-20-06	A study of combined treatments in cognitive and behavioral symptoms of		M. Pimentel
	children with ADHD M. Miranda, Brazil M. Muszkat, S. Rizzutti, L. F. Coelho, D. Barbosa, O. Bueno	P-20-14	To utilise wraparound process in a combined health/education initiative (EdWrap) in the management of children presenting with major behavioural/learning problems in local schools N. Woolfield, Australia W. Chan, P. Cooper



P-21	Guided Poster Tour	<del>_</del>	ADD & loving It?! And www.totallyadd. com: The new media that transforms
14.30 – 16.0	0 h Main Foyer acological treatment: Adults		<b>psychoeduction in ADHD</b> U. Jain, Canada
	s: A. Philipsen, Germany S. Sprich, USA	P-21-08	R. Green, A. Green  ADHD adults – incidence of personality
P-21-01	Micronutrients reduce stress and anxiety in adults with ADHD after a 7.1 earthquake A. P. Julia Rucklidge, New Zealand A. Boggis, J. Johnstone, R. Harrison		disorder and response to treatment with Methylphenidate F. Reimherr, USA J. L. Olsen, B. Marchant, R. J. Robison, C. Pommerville, E. D. Williams, C. Halls
P-21-02	First results of the COMPAS group	15.30-16.0	00 h Coffee Break
	(comparison of Methylphenidate and psychotherapy in adult ADHD study)		
	A. Philipsen, Germany S. Matthies, M. Colla, S. Groß-Lesch, T.	HT-08	Hot Topic Symposium
	Jans, E. Sobanski, B. Alm, M. Huss, B. Kis,	16.00-17.3	0 h Hall 2
P-21-03	M. Roesler, E. Graf  The hero with a million faces: Narrative schema realignment in adult ADHD  I. Szpindel, Canada	treatments f	owards empirically supported psychosocial for adult ADHD s: A. Philipsen, Germany S. Sprich, USA
P-21-04	The effects of the French version of the community parent education program for families of preschoolers with behaviour problems: A pilot study N. Leblanc, Canada L. Ben Amor, PA. Desmarais, L. Archambault, RC. Duval, P. Bouchard, J. Martel, M. Simoneau	HT-08-01	Treatment of adults with ADHD: CBT only versus medication and CBT L. Hechtman, Canada
		HT-08-02	Comparison of CBT to relaxation with educational support for residual ADHD in adults S. Sprich, USA
P-21-05	A randomized controlled study of a manualised cognitive behavioral	HT-08-03	<b>DBT-based treatment in adult ADHD</b> A. Philipsen, Germany
	treatment for medicated adults with ADHD  B. Emilsson, Iceland G. Gudjonsson, J. F. Sigurdsson, G. Baldursson, H. Olafsdottir, E. Einarsson, S. Young	HT-08-04	Cognitive-behavioral treatment for adult ADHD: Targeting executive dysfunction M. Solanto, USA
P-21-06	Multimodal treatment and coaching in ADHD – development of an advanced training program P. Greven, Germany J. Irmscher		

HT-09	Hot Topic Symposium	HT-11	Hot Topic Symposium
16.00-17.30	) h Hall 6	16.00-17.30	h Hall 3
KFO 125 AD Chairpersons	E: KP. Lesch, Germany T. Renner, Germany	adolescence a	ADHD treatment guidelines for childhood, and adulthood : J. Thome, Germany B. Millet, France
	T. Renner, Germany	HT-11-01	Guidelines in Francophone and Eastern European countries
HT-09-02	Emotional-motivational deficits in ADHD  A. Conzelmann, Germany		B. Millet, France
HT-09-03	Imaging genetics in ADHD – neurophy- siological endophenotypes AC. Ehlis, Germany	HT-11-02	Guidelines in Mediterranean and Latin countries, Asia and Africa J. A. Ramos-Quiroga, Spain
HT-09-04	Genome-wide screening approaches: Towards identification of pathogenetic mechanisms	HT-11-03	Guidelines in nordic and German-spea- king countries R. Wandschneider, Germany
	KP. Lesch, Germany	HT-11-04	<b>ADHD guidelines in Anglophone countries</b> J. Thome, Germany
HT-10	Hot Topic Symposium		
16.00-17.30	) h Hall 4/5	HT-12	Hot Topic Symposium
	mptoms in ADHD: Part of the disorder? :: F. Reimherr, USA M. Rösler, Germany	adulthood	h Hall 7 Induct disorder from childhood to  C. Freitag, Germany
HT-10-01	<b>Mood variability in adults with ADHD</b> P. Asherson, United Kingdom	Chairpersons.	E. Barker, United Kingdom
HT-10-02	Emotional symptoms in children and adolescents with ADHD	HT-12-01	<b>Co-morbid disorders of childhood ADHD</b> M. Romanos, Germany
	T. Banaschewski, Germany	HT-12-02	Cortisol awakening response in children with ADHD with and without
HT-10-03	The concept of emotional symptoms as defined by the Utah criteria of ADHD F. Reimherr, USA		oppositional defiant disorder or conduct disorder  C. Freitag, Germany
HT-10-04	<b>Different psychopathological dimensions</b> in adult ADHD RD. Stieglitz, Switzerland	HT-12-03	Genome-wide association analysis of conduct disorder in an ADHD background R. Anney, Ireland
		HT-12-04	Co-occuring problems of early onset persistent, childhood limited, and adolescent onset conduct problem youth E. Barker, United Kingdom



YS-01-03 Symptoms of ADHD and psychopathy in YS-01 **Young Scientist Session** perpetrators – A factor-analytic approach 16.00-17.30 h Hall 8 S. Boureghda, Germany W. Retz, M. Rösler Young Scientist Award Session I Chairpersons: M. Weiss, Canada YS-01-04 EEG parameters during working me-E. Taylor, United Kingdom mory task and response inhibition differentiate between medicated and YS-01-01 Different executive function profiles in medication naive children and adolechildren and adolescents with subtypes scents with ADHD of ADHD J. Geissler, Germany E. W. Skogli, Norway YS-01-02 **Attention Deficit Hyperactivity Disorder** symptoms and environmental adversity in a prospective population study of preschoolers

#### Please visit the

### **Technical Exhibition**

E. Paliokosta, United Kingdom

in the Central Lobby on the Lobby Level

#### **Opening hours**

Thursday	26 May 2011	15.00 – 20.00 h
Friday	27 May 2011	09.00 – 17.00 h
Saturday	28 May 2011	09.00 – 17.00 h
Sunday	29 May 2011	09.00 – 13.00 h

**ES-04 Educational Seminar** 

07.45-08.30 h Hall 4/5

Diagnostic assessment of ADHD in adults using the new structured DIVa 2.0

Chairperson: S. Kooij, The Netherlands

**ES-05 Educational Seminar** 

07.45-08.30 h Hall 6

Neurofeedback in the doctor's office

Chairperson: U. Strehl, Germany

**ES-06 Educational Seminar** 

07.45-08.30 h Hall 7

Differential diagnosis of adult ADHD

Chairpersons: E. Sobanski, Germany

C. Jacob, Germany

**ES-07 Educational Seminar** 

07.45-08.30 h Hall 8

Psychometric assessment of adult ADHD

Chairpersons: A. Philipsen, Germany

R.-D. Stieglitz, Switzerland

ME-04 **Meet the Experts** 

07.45-08.30 h Salon 11/12

Guidelines

Expert: E. Taylor, United Kingdom

**ME-05** Meet the Experts

07.45-08.30 h Salon 13/14

ADHD over the lifetime

Expert: R. G. Klein, USA

**ME-06** Meet the Experts

07.45-08.30 h Salon 15/16

Treatment of adult ADHD

Expert: M. Weiss, Canada

Please book your ticket for the Educational Seminar and the Meet the Experts-Session in advance at the registration counter due to limited number of participants. Only valid in combination with the congress registration fee.

Fee per course: EUR 30

**Plenary Session** 

08.30-10.30 h Hall 2

Course, differential diagnosis and co-morbidity of ADHD

Chairpersons: U. Lehmkuhl, Germany

S. Faraone, USA

PS-03-01 ADHD and Borderline personality disorder

A. Fossati, Italy

PS-03-02 ADHD and autism

C. Freitag, Germany

PS-03-03 ADHD and deficient emotional re-

gulation

S. Faraone, USA

ADHD and antisocial behaviour PS-03-04

S. Young, United Kingdom

**Coffee Break** 10.30-11.00 h

PCD-01 **Pro-Con-Debate** 

11.00-12.30 h Hall 2

The psychostimulant is not dangerous for the patients

Moderator: E. Taylor, United Kingdom

PCD-01-01 Proponent

L. Greenhill, USA

PCD-01-02 Opponent

K. W. Lange, Germany

12.00-14.00 h **Lunch Break** 



P-22	Guided Poster Tour	P-22-08	The latent class analysis of subclinical
14.30-16.00	) h Main Foyer		ADHD symptoms in parent and teacher report
Diagnosis: Children and adolescents II Chairpersons: C. Bachmann, Germany S. Walitza, Switzerland		P-22-09	A. Kóbor, Hungary Á. Takács, R. Urbán, V. Csépe Neuropsychological profiles of adoles-
P-22-01	Just fuzzy kids or ADHD-kids? Diagnostic utility of questionnaires and PC-tests tapping executive functions for ADHD subtyping M. Schoefl, Austria L. Kaufmann, D. Kloo	Hyperactivity Disorder F. Cuhadarolu, Turkey G. Evinc, T. Cak, G. Dinc, Z.  P-22-10  Comparison of behavior	* * * * * * * * * * * * * * * * * * * *
P-22-02	ADHD or bipolar disorder-survey of cultural differences in diagnosis between Germany and the USA G. C. Teschke, Germany		innovators using Kirton's Adaption- Innovation (KAI) theory C. Winton Brodeur, USA C. Ritzen Kem
P-22-03	The development of screening scales for Attention Deficit Hyperactivity Disorder	P-23	Guided Poster Tour
	(ADHD) in Thai children and adolescents age 3-18 years C. Pornnoppadol, Thailand V. Piyasilp	14.30 – 16.00 Diagnosis: A Chairpersons	dults s: W. Retz, Germany
IV based disruptive behavior disc rating scale teacher and parent fo E. S. Ercan, Turkey	Reliability and validity of turgay DSM-IV based disruptive behavior disorders rating scale teacher and parent forms E. S. Ercan, Turkey E. Ercan, R. Kandulu, E. Uslu, C. Aydin	P-23-01	RD. Stieglitz, Switzerland  Comorbidity, attachment and identity in adolescents with childhood Attention  Deficit Hyperactivity Disorder  F. Cuhadaroglu Cetin, Turkey
P-22-05	Is DSM-IV based ADHD self report scale valid and reliable tool for 8 years children? E. Ercan, Turkey E. S. Ercan, R. Kandulu, E. Uslu, C. Aydin	rt E. Cop rs P-23-02 Are there diff patients and close retrospectively	Are there differences between patients and close relatives evaluating retrospectively Attention Deficit
P-22-06	Prevalence of Attention Deficit Hyperactivity Disorder in school-aged children of a poor Brazilian community M. Arruda, Brazil M. V. Moura-Ribeiro, J. H. Golfeto, M.		Hyperactivity Disorder (ADHD) psychopathology in childhood? – A study using the short version of the Wender Utah Rating Scale (WURS-k)  J. Buchli-Kammermann, Switzerland RD. Stieglitz
P-22-07	E. Bigal, G. Polanczyk  Impact of the environmental factors on the Attention Deficit Hyperactivity  Disorder in Moroccan children  FZ. Azzaoui, Morocco  H. Hami, A. Ahami	P-23-03	A screening scale for adult Attention- Deficit Hyperactivity Disorder: Sensi- tivity, specificity and cut-off score data of Turkish form ASRS S. Dogan, Turkey B. Oncu, G. Varol-Saracoglu
		P-23-04	Psychometrics of the German short version of the Brown ADD scales C. Häußinger, Germany U. Ruhl, I. Hach

P-23-05	Quality rather than quantity of	P-24	Guided Poster Tour
	symptomatic criteria for the diagnosis of adult ADHD I. Szpindel, Canada	14.30 – 16.00	) h Main Foyer
P-23-06	A. Turgay		: Children and adolescents III : HC. Steinhausen, Switzerland V. Jucksch, Germany
		P-24-01	A clinical study of temperament, phe- nomenology and psychosocial factors in child and adolescents of disruptive
P-23-07	Developing programs for physicians to diagnose and treat adults with ADHD  L. Hechtman, Canada  L. Sadak, L. Jarama, H. Jain, M. Waiss, D.		behaviour disorders P. Kumar, India M. Bhatia, V. Agarwal, D. Verma
	J. Sadek, L. Jerome, U. Jain, M. Weiss, D. Smith, A. Vincent	P-24-02	ADHD-related symptoms and intellectual disabilities
P-23-08	Psychometric properties of the ASRS in a general population: findings from the		D. Macesic-Petrovic, Serbia J. Kovacevic, D. Lazic, L. Puskas
	ChiP-ARD study H. Caci, France V. Oliveri, K. Dollet	P-24-03	Written production characteristics of children with Attention Deficit Hyperactivity Disorder
P-23-09	Neural basis of decision making and reward: Disentangling euthymic pa-		À. Mies, Spain E. Jurado, A. Fornieles, M. Quintana
	tients with bipolar disorder from adults with ADHD A. Ibáñez, Argentina A. Petroni, H. Urquina, M. Cetkovich, T. Tor- ralva, F. Torrente, S. Báez, S. Strejilevich, M. Sigman, A. Lischinsky, F. Manes	P-24-04	Performance evaluation of children with ADHD in reading / writing and math skills with Academic Performance Test-APT F. F. Dias, Brazil M. C. Miranda, L. F. Coelho, S. Rizzutti,
P-23-10	The symptoms of Attention Deficit Hyperactivity Disorder in the parents of		S. M. M Palma, M. Muszkat, R. Fígaro, O. F. A Bueno
	<b>the children with ADHD</b> S. Simsek, Turkey C. Gokcen, E. Fettahoglu	P-24-05	Differences in brain dynamics of ADHD children with and without comorbidity of learning disability
P-23-11	Evolution of the CADDRA Canadian ADHD practice guidelines-user interface rationale		P. Adibpour, Iran S. Farahibozorg, N. Sadoughi, R. Rostami, M. Ahmadlou
U. Jain, Canada M. Weiss, L. Hechtman, D. Smith, D. Quinn, G. Farrelly, J. Sadek, A. Vincent	P-24-06	Sleep disturbances in children with Attention Deficit Hyperactivity Disorder A. A. Joseph, India	
P-23-12	Criterion validity of an Attention Deficit Hyperactivity Disorder (ADHD) screening list for screening ADHD in older adults E. Semeijn, The Netherlands M. Michielsen, H. Comijs, A. Beekman, D. Deeg, S. Kooij	P-24-08	M. Mehta, R. Sagar, G. Shukla  Comorbid autism and ADHD: Parent stress and coping D. Hamilton, Australia J. Whelan



P-24-09 The features of the syndrome of the P-25-07 Personality traits in a small sample of ADHD (Attention Deficit and Hyperadults with ADHD: Evaluation with activity Disorders) at children with temperament and character inventory, schizotipical disorder revised (TCI-r) and the NEO-Personality M. Kalinina, Russia Inventory, revised (NEO-PI-R) G. Kozlovskaya C. S. Miguel, Brazil M. Klein, M. A. Gobbo, M. A. Silva, L. C. Monteiro, T. M. Alves, M. Louza **Guided Poster Tour** P-25-08 **Emotional empathy and suicidal ideation** 14.30-16.00 h **Main Foyer** in adult ADHD A. Lischinsky, Argentina Co-morbidity: Adults II F. Torrente, T. Torralva, F. Manes, E. Gleich-Chairpersons: C. Jacob, Germany gerrcht M. S. Stoy, Germany P-25-01 **ADHD** and axis I disorders P-26 **Guided Poster Tour** U. Ruhl, Germany C. Häußinger, I. Hach 14.30-16.00 h **Main Foyer** P-25-02 Comorbid mood and anxiety disorders Biomarker candidates in adult ADHD patients Chairpersons: M. Romanos, Germany D. Meshkat, Austria R. Taurines, Germany A. Kutzelnigg, C. Eckert, A. Konstantinidis, P-26-01 The voice of ADHD-vocal acoustic biomarkers in ADHD P-25-03 **ADHD** and axis II disorders D. Langner, Germany I. Hach, Germany J. Langner, L. Gentschow, P. Kunze, E. Ahlers, C. Häußinger, U. Ruhl M. Colla P-25-04 The accompaniment of inattention P-26-02 Can quantitative EEG (QEEG) measures be with daily excessive sleepiness among used as objective indices in the diagnosis individuals with attention deficit of Attention Deficit Hyperactivity Disdisorder or Attention Deficit Hyperorder (ADHD) in adults? - Preliminary activity Disorder study in a Hungarian clinical sample of S. Shirataki, Japan adults with ADHD S. Moriyasu, Y. Idehara V. Simon, Hungary P. Czobor, L. Tombor, S. Papp, S. Komlosi, P-25-05 Sleep in adults with Attention Deficit B. Kakuszi, B. Szuromi, L. Balogh, A. Angya-Hyperactivity Disorder (ADHD) of the losi, D. Kovács, I. Bitter predominantly inattentive (ADHD-I) and combined (ADHD-C) subtypes P-26-03 An electroencephalographic biomarker R. Yoon, Canada separated patients with Attention U. Jain, C. Shapiro **Deficit Hyperactivity Disorder into two** subgroups with significantly different P-25-06 Sports and movement addiction in clinical profiles adolescents with ADHD-is this an S. Snyder, USA existing differential diagnosis? Review T. Rugino, M. Hornig, B. Daviss, E. Tsai, of the literature in sports psychiatry T. Lock, G. Marsella, R. Davis, R. Scheffer, O. Bilke-Hentsch, Switzerland R. Williams, K. McBurnett

M. Schmelzle

P-26-04	Examining the feasibility of N200 as an	P-27	Guided Poster Tour
	endophenotype candidate in a genetic isolate of familiar type ADHD M. A. Garcia-Barrera, Canada	14.30 – 16.00 h Main Foyer	
	N. Trujillo-Orrego, C. B. Holroyd, D. A. Pineda		r: Children and adolescents III : K. W. Lange, Germany
P-26-05	Investigation of brainstem dysfunction in ADHD-ABR changes and medication effects S. Nielzén, Sweden J. Källstrand	P-27-01	E. van Den Ban, The Netherlands  A different look at the prevalence of Attention Deficit Hyperactivity Disorder and epilepsy R. Cohen, Israel
P-26-06	Alterations in the function of hypothala- mic-pituitary-thyroid axis in children with psychiatric disorders		Y. Senecky, R. Raz, G. Chodick, V. Shalev, A. Shuper, D. Inbar, Y. Senecky
	M. Dabkowska, Poland	P-27-02	Examining the relationship between Attention Deficit Hyperactivity Disorder
P-26-07	The objective measurement of the activity in Attention Deficit Hyperactivity Disorder children M. Dabkowska, Poland T. Pracki, D. Pracka		and overweight in children and adolescents-results from the BELLA- study B. Sawitzky-Rose, Germany M. Erhart, N. Wille, B. Herpertz-Dahlmann, H. Hölling, U. Ravens-Sieberer
P-26-08	AQT cognitive speed and processing efficiency differentiate adults with and without ADHD: A preliminary study N. P. Nielsen, Denmark E. H. Wiig	P-27-03	A community-based longitudinal controlled cohort study of children with ADHD D. Efron, Australia
P-26-09	Use of a virtual classroom in a french population: A comparative study bet- ween children with ADHD and control children S. Bioulac, France S. Kedziora-Lallemand, P. Philip, C. Fabri-		E. Sciberras, J. Nicholson, V. Anderson, P. Hazell
		P-27-04	Attention Deficit and Hyperactivity Disorder in turkish preschool children S. S. Basgul, Turkey S. Saltik, A. Beyhun
P-26-11	goule, M. Bouvard  Psychometric properties of a self report version of the Wender Reimherr Adult Attention Deficit Disorder scale F. Reimherr, USA B. Marchan, E. D. Williams, R. J. Robison,	P-27-05	Attention problems and other psychosocial issues among junior high school students in Japan H. Ozawa, Japan N. Nakazawa, Y. Kusumoto, R. Iwanaga, A. Imamura
P-26-12	C. Halls, C. Pommerville  Measuring restlessness and focus in the context of everyday life in Adults with Attention Deficit Hyperactivity Disorder, before and after treatment with psycho-stimulant medication C. Skirrow, United Kingdom Y. Malliaris, P. Asherson	P-27-06	Does one out of seven nine-year old boys suffer from ADHD? The increasing administrative prevalence of ADHD in Germany, 2003–2009 M. Schlander, Germany O. Schwarz, GE. Trott, T. Banaschewski, W. Scheller, M. Viapiano, N. Bonauer



P-27-07	The direct cost of Attention Deficit Hyperactivity Disorder (ADHD) in Ger- many – An age and gender specific analysis M. Schlander, Germany O. Schwarz, GE. Trott, M. Viapiano, N. Bo- nauer, W. Scheller	P-28-03	ADHD and the family context as a mediating variable and modulating J. M. Garcia Cruz, Spain M. Rodriguez Ruiz, I. Iraurgi Castillo, J. A. Fernandez de Legaria, E. Perez Fernandez de Landa, T. Sota Leiva, I. Ocio Ocio, M. Landabaso Vazquez, J. M. Jimenez Lerma, J. Caceres Carrasco
P-27-08	Breastfeeding and parafunctional oral habits in children with Attention Deficit Hyperactivity Disorder: A preliminary report O. Sabuncuoglu, Turkey A. C. Orengul, A. Bıkmazer	P-28-05	<b>Child sexual abuse and ADHD</b> AK. Koch, Germany W. Retz, S. Boureghda, M. Rösler, P. Retz-Junginger
P-27-09	Maternal rejection, family and cognitive factors: Modeling aggression in children with ADHD	P-28-06	Symptoms of adult Attention Deficit Hyperactivity Disorder and stress in Korean soldiers CS. Lee, Republic of Korea
P-27-10	E. Ercan, Turkey E. S. Ercan, B. Kabukçu Basay, T. Uysal  Are psychostimulants overprescribed in Brazilian school-aged children?	P-28-07	Public health issues in ADHD Brazilian children S. M. Motta Palma, Brazil D. M. Cruz, E. Rosangela
	A nationwide study M. Arruda, Brazil M. V. Moura-Ribeiro, J. H. Golfeto, M. E. Bigal, G. Polanczyk	P-28-08	Attention-Deficit/Hyperactivity as factor of socially unacceptable behaviour N. Kepes, Bosnia and Herzegovina
P-27-11	Accident proneness among youth treated with ADHD medication E. van Den Ban, The Netherlands P. Souverein, W. Meijer, H. van Engeland, H. Swaab, T. Egberts, R. Heerdink	P-28-09	Prevalence and risk factors for Attention Deficit Hyperactivity Disorder in Brazilian school-aged children – A nationwide study M. Arruda, Brazil M. V. Moura-Ribeiro, J. H. Golfeto, M. E. Bigal, G. Polanczyk
P-28	Guided Poster Tour		
14.30-16.00	h Main Foyer	P-29	Guided Poster Tour
	r: Children and adolescents IV : A. Ludolph, Germany	<b>14.30 – 16.00</b> Epidemiology	•
P-28-01	T. Renner, Germany  Difference in Internet uses between normal adolescents and ADHD  C. Arrizabalaga, Spain  A. Aierbe Barandiarana, M. C. Medrano Samaniego		E. Sobanski, Germany M. Muenke, USA  Prevalence of ADHD and psychiatric comorbidity in adults attended in a Spanish mental health unit K. Knecht, Spain T. Blanch, R. De Álvaro, V. Ferreres, N. Castillo,

F. Romero, V. Balanzá

P-29-02	Epidemiology of Attention Deficit Hyperactivity Disorder in Islamic Azad university students of Markazi Province – center of Iran K. Ganji, Iran M. Asgari, F. Tork	P-29-09	Prescription ADHD stimulant non-medical use in adult substance abusers entering treatment: Early findings from the NAVIPPRO® system E. McNaughton, USA T. Cassidy, S. F. Butler, S. Varughese, L. Russo
P-29-03	Prevalence of adult Attention Deficit Hyperactivity Disorder (ADHD) in Japan: Results from Hamamatsu epidemio- logical survey M. Ohnishi, Japan K. Nakamura, S. Uchiyama, K. Takebayashi, K. Osumi, M. Tsujii, N. Mori	P-29-11 P-29-12	ADHD and pathological gambling J. Ringling, Germany W. Retz  ADHD, Traumatic Brain Injury (TBI) and driving automobiles D. Smith, Canada
P-29-04	Pre- and perinatal risk factors in adult Attention Deficit Hyperactivity Disorder	P-30	Guided Poster Tour
	(ADHD): A population-based nested case-control study	14.30 – 16.00	h Main Foyer
	A. Halmøy, Norway K. Melve, R. Skjærven, J. Haavik	Life quality I Chairpersons	: M. Solanto, USA
P-29-05	Life quality in ADHD at the olders D. Lazic, Serbia L. Puskas, R. Ristic-Dimitrijevic, M. Nenadovic, J. Kovacevic, D. Macesic-Petrovic, J. Karic, S. Marinkovic	P-30-01	A. Rostain, USA  Comparing senses of competence, depression and parental attachment in mothers of ADHD children with mothers of normal children
P-29-06	ADHD in the elderly – organisation of daily life and emotional problems over the lifespan F. Philipp-Wiegmann, Germany I. Rauber, A. Schmitt, M. Bauer, W. Retz, M. Rösler		E. Abdollahian, Iran S. Yousefi
		P-30-02	Quality of life in Brazilian children with Attention Deficit Hyperactivity Disorder combined type E. Barbante Casella, Brazil
P-29-07	Teachers' knowledge about Attention Deficit Hyperactivity Disorder (ADHD): The case of Saudi Arabia K. Alkahtani, Saudi Arabia		J. Marques, J. Goulardins, M. Periotti, S. Pacheco, T. Freire, U. Reed
		P-30-03	Experience and perception of ADHD: Impacts on coping in private and work
P-29-08	Nonmedical use and diversion of specific ADHD stimulants among U.S. adults aged 18-49: A national internet survey S. Varughese, USA T. A. Eaton, S. F. Butler, S. H. Budman, T. Cassidy, L. Russo		<b>life</b> C. Bonnes, Germany



P-30-04	Attention Deficit Hyperactivity Disorder is associated with impairment in everyday life as reported by parents of affected children: Results of the European Lifetime Impairment Survey H. Caci, France	P-30-12	Developing a needs assessment instru- ment for students with attention-related difficulties in higher education T. Takahashi, Japan M. Iwabuchi
	P. Asherson, M. Doepfner, R. Donfrancesco, S. V. Faraone, M. Fitzgerald, A. Hervas, T. Redston, D. Weber, A. Woods	P-30-13	Impairments caused by AD(H)D – different assessments by doctor and parents H. Niederhofer, Germany
P-30-05	Stigmatization in patients with Attention Deficit Hyperactivity Disorder A. B. Fürmaier, The Netherlands		B. Mueller
	A. K. Müller, L. Tucha, J. Koerts, K. W. Lange,	P-31	Guided Poster Tour
	O. Tucha	14.30-16.00	h Main Foyer
P-30-06	Relation of inattention and hyperactivity- impulsivity with children's self-efficacy beliefs M. Gambin, Poland	Life quality II Chairpersons:	R. G. Klein, USA M. Weiss, Canada
	M. Pudlo, M. Swiecicka	P-31-01	Parental experiences of diagnosis and treatment of Attention Deficit
P-30-07	<b>Life with ADHD children: Mother's voice</b> P. Gera, India		Hyperactivity Disorder in children: Results from the European Lifetime
P-30-08	Assessment of quality of life in adult patients with Attention Deficit Hyperactivity Disorder (ADHD)  I. Jansen, Germany M. Loewer, J. Schulte-Mäter, B. Feige,		A. Hervas, Spain P. Asherson, H. Caci, M. Doepfner, R. Donfrancesco, S. V. Faraone, M. Fitzgerald, T. Redston, D. Weber, A. Woods
P-30-09	A. Philipsen  Quality of life in children with Attention Deficit Hyperactivity Disorder, before and during pharmacotherapy A. Kesic, Serbia A. Lakic, D. Stevanovic	P-31-02	Quality of life, functionality and adverse life events among adult patients with ADHD attended in a Spanish mental health unit K. Knecht, Spain F. Romero, V. Ferreres, N. Castillo, R. De Álvaro, T. Blanch, P. Silvia, A. Ribes, A.
P-30-10	The disorder for deficit of attention with hyperactivity: Quality of life perceived by the patient and his parents G. Marta, Spain N. Rosa, M. Jaume, M. Laura, V. Montse	P-31-03	Emotional and cognitive responses to interparental conflict in children with Attention Deficit Hyperactivity Disorder LY. Shyu, Taiwan
P-30-11	The disorder for deficit of attention with		CB. Yeh, CW. Chang, CH. Tu
	hyperactivity: The effect in the context of the family G. Marta, Spain N. Rosa, M. Laura, M. Jaume, V. Montse	P-31-04	Self-esteem, self-efficacy, and resources in adults with ADHD P. E. Newark, Switzerland M. Elsässer, RD. Stieglitz

P-31-05 Supporting students with ADHD: Indications for and effectiveness of teaching and exam accommodations D. Baeyens, Belgium L. Van Dyck  P-31-06 The efficacy of stress coping skills training on parenting stress of mothers of children with ADHD A. Beh-Pajooh, Iran A. Motevali-Poor		P-32	Guided Poster Tour
	<b>teaching and exam accommodations</b> D. Baeyens, Belgium L. Van Dyck	14.30-16.00	) h Main Foyer
			ogy: Children and adolescents III :: S. Bender, Germany F. Zepf, Germany
	P-32-01	Characteristics of learning planning functions of students with learning disabilties with and wihtout ADHD B. Shrieber, Israel	
P-31-07	Multidisciplinary allied, government		O. Hetzroni
	and school support for children diagnosed and treated for Attention Deficit Disorder in Western Australia D. Silva, Australia E. Hagemann, M. Howell, C. Bower	P-32-02	Neuropsychological assessment in a Portuguese sample of children with Attention Deficit Hyperactivity Disorder – combined subtype (ADHD-C) C. Alfaiate, Portugal
P-31-08	Relationship between parent's age and parenting styles in parents of children		C. Alfaiate, Portugal M. R. Simões, J. B. Fernandes
	with Attention Deficit Hyperactivity Disorder T. Baghani, Iran Z. Iarijani, P. Golkarian	P-32-03	Influence of EEG biofeedback on ERPs in Attention Deficit Hyperactivity Disorder children  S. Bakhtadze, Georgian M. Janelidze, N. Khachapuridze
P-31-09	ADHD service reforms-impact of ADHD nurse specialist role in improving outcomes in ADHD management R. Beets, United Kingdom I. Takon, A. Galloway, W. McClaughlin	P-32-04	·
<b>ou</b> R.		F-32-04	Attention Deficit Hyperactivity Disorder: Event-related brain potentials in test go/nogo E. Yakovenko, Russia I. Nikishena, L. Chutko
P-31-10	<b>Children with ADHD and bullying</b> T. Manovic, Croatia M. Lokas, G. Buljan Flander	P-32-05	A comparative study of ADHD, RD (Reading disable) children's frontal
P-31-11	The ralationship between severity of child's ADHD symptoms and mother's parenting styles M. Holisaz, Iran M. Cheraghi, F. Fallahi		brain cognitive functions with normal children by implementing cognitive assessment system (CAS) S. Najafi, Iran J. Molazade, M. A. Goodarzi, M. R. Taghavi, V. Sadeghi
P-31-12	Relationship between marital satis- faction and anxiety in mothers of child- ren with Attention Deficit Hyperactivity Disorder	P-32-06	Neurocognitive functioning in children with ADHD M. Mehta, India P. Sinha, R. Sagar
	Z. S. Larijani, Iran T. Baghani, L. Azhdehfar	P-32-07	ADHD symptoms modulates the use of spatial and stimulus-response learning and memory strategies in 8-year old children P. Robaey, Canada S. McKenzie, R. Schachar, M. Boivin,



G. Dionne, V. Bohbot

P-32-08	the stop task in children with ADHD and their non-affected siblings R. Suwwan, Brazil G. Coutinho, J. A. Sergeant, P. Mattos,	P-33-05	Orienting of attention and interference control in children with Attention Deficit Hyperactivity Disorder A. Masumi, Japan S. Okazaki, H. Maekawa
P-32-09	P. Mattos  The role of motor control deficiencies in adapting multi-component visual-motor tasks in children with Attention Deficit Hyperactivity disorder  C. Yakut, USA	P-33-06	Reaction time variability and cognitive arousal in Attention Deficit Hyperactivity Disorder: A cognitive-EEG investigation C. Cheung, United Kingdom G. McLoughlin, F. Rijsdijk, P. Asherson, J. Kuntsi
P-32-10	The survey and comparative between correlation in working memory and false memory in students who with and without ADHD H. S. Khademi, Iran H. Alizadeh, H. Asadzadeh	P-33-07	Error and reinforcement processing in medicated and medication-free children with ADHD: An electrophysiological study Y. Groen, The Netherlands O. Tucha, B. Wijers, M. Althaus
		P-33-08	Boys with ADHD and their mothers:
P-33	Guided Poster Tour		What can we learn from the neuroen- docrinology?
14.30 – 16.00			N. Vuksanovic, Germany C. Kern, K. Zeber, M. Bidlingmaier, J. Borns,
	ogy: Children and adolescents IV :: A. Conzelmann, Germany		K. H. Brisch
•	AC. Ehlis, Germany	P-33-09	EEG abnormalities in children diagnosed with ADHD by the time of ADHD assessment  D. Socanski, Norway  A. Herigstad
P-33-01	Lexical processes in children with Atten- tion Deficit Hyperactivity Disorder: A preliminary event-related brain poten- tials study		
	P. Gonzalez-Perez, Spain A. Dominguez, D. Beltrán, S. Hernández, A. Quintas, L. Artiles	P-33-10	Classification of ADHD subtypes using independent ERP components M. Aguilar, Spain
P-33-02	Electro-cortical correlates of intra- subject variability in Attention Deficit Hyperactivity Disorder (ADHD) C. Klein, Germany B. Feige		J. Gomez-Amor, E. Herrera-Gutierrez
		P-33-11	Study of EEG characteristics in children with Attention Deficity Hyperactivity Disorder  I. Khachidze, Georgian  M. Gugushvili, V. Maloletnev
P-33-03	Inherited Pre-frontal cortex (PfC) dis- inhibition in Attention Deficit Hyper-	D 22 42	-
	activity Disorder (ADHD) adolescents offspring of Alcohol Use Disorder (AUD) parents M. Habeych, USA R. Tarter	P-33-12	Behavioral and neurophysiological study of attentional and inhibitory processes in ADHD and control children with a continuous performance task S. Baijot, Belgium N. Deconinck, I. Massat, H. Slama, C. Colin
P-33-04	Cortical inhibition and facilitation: Preliminary results of a comparison between children with ADHD and autism A. Kröger, Germany T. Jarczok, C. M. Freitag, S. Bender		

P-34	Guided Poster Tour	P-34-08	Cortical deficits in emotion processing
14.30-16.00	h Main Foyer		for faces in adults with ADHD: Its relation to social cognition and exe-
Pathophysiolo Chairpersons:	ogy: Adults II D. Brandeis, Switzerland M. S. Stoy, Germany		cutive functioning A. Ibáñez, Argentina A. Petroni, H. Urquina, T. Torralva, F. Torrente, E. Hurtado, R. Guex, S. Báez, M. Sigman,
P-34-01	Participants with high subclinical ADHD symptoms show reduced suppression in the processing of task-irrelevant stimuli as evidenced by the N170 S. C. Biehl, Germany A. Niklaus, J. Deckert, M. J. Herrmann	P-34-09	A. Lischinsky, F. Manes  Electrophysiological correlates of inhibition system in adolescents and adults with different levels of inattention, impulsivity, hyperactivity  A. Trembach, Russia
P-34-02	Theta/beta ratio is related to approach motivation in healthy controls but not		D. Samarskiy, V. Tolokonikova
	in adults with Attention Deficit Hyper- activity Disorder	P-35	Guided Poster Tour
	J. Sidlauskaite, Belgium R. Wiersema, I. Buyck	14.30-16.00	h Main Foyer
P-34-03	Increased rightward low alpha asymmetry in adults with Attention Deficit		ical treatment: Children and adolescents III : A. Rothenberger, Germany M. Danckaerts, Belgium
I	<b>Hyperactivity Disorder</b> I. Buyck, Belgium J. R. Wiersema	P-35-01	Prolonged cognitive improvement of attention and inhibition in children with ADHD treated with OROS Methyl-
P-34-04	Neurophysiological correlates of delinquent behaviour in adult subjects with ADHD N. Meier, Switzerland		<ul><li>phenidate</li><li>H. Slama, Belgium</li><li>P. Fery, D. Verheulpen, P. Van Bogaert</li></ul>
	W. Perrig, T. Koenig	P-35-02	The place of Methylphenidate in the treatment of ADHD. A Tunisian ex-
P-34-05	Cortical arousal in adults with Attention Deficit Hyperactivity Disorder A. Edge, South Africa		perience Z. S. Abbes, Tunisia S. Othman, F. Charfi, S. Halayem, A. Belhadj, A. Bouden, M. Halyem
P-34-06	Assessment of postexcitatory long- interval cortical inhibition in adult Attention Deficit Hyperactivity Disorder W. Retz, Germany E. González-Trejo, F. Philipp-Wiegmann, K. Römer, P. Reinert, Y. F. Low, S. Boureghda, M. Rösler, D. Strauss	P-35-03	Comparison of the efficacy and safety of OROS-methylphenidate and IRmethylphenidate in Turkish children with Attention Deficit Hyperactivity Disorder: A retrospective chart review E. S. Ercan, Turkey
P-34-07	Default mode network (DMN) impairments in adults with ADHD and bipolar disorder: Connectivity and variability P. Barttfeld, Argentina A. Petroni, H. Urquina, M. Sigman, M. Cetkovitch, T. Torralva, F. Torrente, S. Báez, A. Lischinsky, F. Manes, A. Ibáñez	P-35-04	O. Basay, E. Ercan, B. Kabukcu Basay, C. Aydin  Moderators of one-month treatment response to OROS Methylphenidate in subjects with ADHD in a naturalistic study O. Oner, Turkey P. Oner, E. Cop, K. Munir



P-35-05	The clinical impact of switching ADHD patients from concerta® to a second entry product: a pediatric practice review  J. van Stralen, Canada	P-36	Guided Poster Tour
		14.30-16.00	) h Main Foyer
		_	ical treatment: Children and adolescents IV : R. W. Dittmann, Germany
P-35-06	Ginkgo biloba extract EGb 761° is effective and safe in the treatment of ADHD in children  S. Klement, Germany  N. Bock, A. Rothenberger	P-36-01	GE. Trott, Germany  Compliance with Strattera (atomoxetine) in a patient support programme for Attention Deficit Hyperactivity Disorder in the United Kingdom
P-35-07	Atomoxetine response in the inattentive and combined subtypes of Attention		A. Lenox-Smith, United Kingdom J. Cooper-Jones, N. Savill, S. Cryer, J. Pelton
Deficit Hyperactivity Disorder: A retro- spective chart review E. S. Ercan, Turkey B. Kabukcu Basay, E. Ercan, O. Basay, C. Aydin	P-36-02	Attention Deficit Hyperactivity Disorder, medication and adolescents: What do they have to say about it?  J. Monteiro, Portugal	
P-35-08	The functionality of ADHD comorbid ODD and/or CD children after 6 years: The treatment effect on prognosis E. S. Ercan, Turkey O. Akyol, A. Kutlu, S. Köse, C. Aydin	P-36-04	M. Pinto, V. Monteiro  Risk factors for discontinuation of atomoxetine treatment in Attention  Deficit Hyperactivity Disorder (ADHD)  D. Shin, Republic of Korea
P-35-09	Analysis of effect size in two clinical trials to evaluate the efficacy of lisdexam- fetamine dimesylate in children with Attention Deficit Hyperactivity Disorder M. Gasior, USA S. Wigal, C. Richards, J. Gao	P-36-05	EJ. Kim  Prescription of melatonin in a clinic for severe ADHD  A. Sørensen, Denmark P. H. Thomsen, I. R. Møller
P-35-10 AI ex	ADHD diagnositics and treatment—experiences at a Hungarian psychiatric hospital and clinic for children S. Oláh, Hungary Á. Hajdu, Z. Martsa, A. Bátki, J. Gádoros	P-36-06	Neuroleptic therapy and affective instability of children with ADHD B. lana, Ukraine M. Igor, V. Olesya
		P-36-07	Development of a teaching aid to assist
P-35-11	A new approach to the therapy of attention deficiency hyperactivity disorder, affecting neurotransmitter systems of brain  I. Komlach, Russia		doctors, other health care providers and patients in using medications to treat <b>ADHD</b> A. Vincent, Canada D. Smith
P-35-12	A. Danilov, S. Atalikov  ADHD and drug therapy  J. Kovacevic, Serbia  D. Lazic, D. Macesic-Petrovic	P-36-08	Use of Methylphenidate in children and adolescents with Attention Deficit Hyperactivity Disorder: A study of 445 cases S. Antoniuk, Brazil M. Wehmuth, M. C. Bromberg

P-36-09	Optimal dosages of OROS Methylphenidate for treatment response in children and adolescents with ADHD; Korean multisite open-label study D. Song, Republic of Korea BN. Kim, Y. S. Joung, KA. Cheon, D. Shin, YJ. Shin, H. J. Yoo, K. Jhung	P-37-04	Children treated with pharmacotherapy for Attention Deficit Disorder in Western Australia: Mental health problems and family functioning D. Silva, Australia R. Glauert, S. Houghton, S. Zubrick, B. Jon- geling, M. Cooper, C. Bower
P-36-10 P-36-11	Efficacy of slow vs. fast switching from stimulants to atomoxetine in children and adolescents with ADHD V. Porsdal, Denmark E. Anand, D. Quail, M. Casillas, R. Escobar Raynaud's Syndrome and Methyl-	P-37-05	Continuous Performance Test (CPT) as a quick instrument to assess the effectiveness of Methylphenidate (MPH) in school age children with ADHD J. Boavida, Portugal S. Nogueira, M. Almeida, E. Fernandes, C. Alfaiate, M. J. Seabra Santos
P-36-12	phenidate: A report of two cases J. L. Fernandez Sastre, Spain R. Agueda, G. Flavio, L. Cristina, P. Diego  Clinical use of clonidine in ADHD	P-37-06	Effect of Methylphenidate on sleep parameters in children with ADHD W. S. Seo, Republic of Korea J. Y. Back, HM. Sung, T. Y. Choi
27	management: Report of experience from a specialist ADHD clinic in the East of England I. Takon, United Kingdom R. Beets	P-37-07	An open-label study of Metadata CD® on the improvements of clinical symptoms and neurocognitive functions in Korean children and adolescents with Attention Deficit Hyperactivity Disorder Y. S. Lee, Republic of Korea
P-37 14.30 – 16.00	Guided Poster Tour  Oh Main Foyer		H. K. Yoo, B. S. Kim, Y. S. Joung, G. H. Bahn, D. H. Song, D. H. Ahn
Pharmacolog	ical treatment: Children and adolescents V  : J. Geissler, Germany  J. Newcorn, USA	P-37-08	Monitoring social behavior using the Child Conflict Index in children with ADHD Treated with OROS® Methylphenidate
P-37-01	Survey of clinicians medication monitoring practices, following treatment initiation in children with newly diagnosed ADHD-United Kingdom survey S. Yarney, United Kingdom I. Takon, L. Watts	В Н	B. Schaeuble, Germany H. L. Starr, R. Armstrong, C. Damaraju, S Ascher
		P-37-09	Effects of OROS® Methylphenidate (MPH) treatment on behavior and performance in children with ADHD
P-37-02	Assessment of atomoxetine effect in pediatric patients with Attention Deficit Hyperactivity Disorder: A meta-analysis of consistency of 15 clinical trials in 4 geographic regions		with and without Comorbid Learning Disability B. Schaeuble, Germany H. L. Starr, R. B. Armstrong, C. Damaraju, S. Ascher
	Y. Tanaka, USA L. Jin, H. Upadhyaya		Pharmacological treatment outcomes in children compared to adolescents with
P-37-03	Measuring emotion regulation in children with ADHD: A pilot study of the emotional flanker task V. Van Cauwenberge, Belgium J. R. Wiersema	ADHD transitioning onto B. Schaeuble, Germany	<b>ADHD transitioning onto OROS MPH</b> B. Schaeuble, Germany M. Berek, A. Kordon, F. Mattejat, K. Rettig,



P-37-11	Changes in functionality and quality of life aspects in children with ADHD after transitioning onto OROS MPH B. Schaeuble, Germany A. Kordon, M. Berek, F. Mattejat, K. Rettig, M. Djelani	P-38-07	Social skills training and parental training plus standard treatment versus standard treatment of children with Attention Deficit Hyperactivity Disorder: The SOSTRA trial O. J. Storebø, Denmark J. Pedersen, M. Skoog, P. H. Thomsen, P. Winkel, C. Gluud, E. Simonsen
P-38	Guided Poster Tour	P-38-08	Psychosocial Interventions Canadian
adolescents II	cological treatment: Children and		ADHD Practice Guidelines (CAP-Guidelines, 2011): A Consensus- and Evidence-Based, Practical Resource for Physicians Assessing and Treating ADHD across the Lifespan G. Farrelly, Canada U. Jain, L. Hechtman, M. Weiss, D. Quinn,
P-38-02	children with Attention Deficit Hyper- activity Disorder (ADHD) and Asperger's Disorder (AD); preliminary study Y. S. Kwack, Republic of Korea Jh. Shin Roc and ash to the rescue: A web-based	P-38-09	D. Smith, A. Vincent, J. Sadek, L. Jerome  The effectiveness of a multi sensory therapeutic program in enhancing language skills for children with Attention Deficit Hyperactive Disorder (ADHD)  T. El. Sayed Ahmad, Kuwait  T. A. Karim
	cognitive approach to literacy and ADHD S. Lim, Singapore J. L. Kheng, Y. P. Ooi, L. Su, D. S. Sheng Fung	P-38-10	Promising results with a dietary sup- plement in the treatment of Attention Deficit Hyperactivity Disorder (ADHD)
P-38-03	Training parents of Indian children with ADHD M. Mongia, India R. Sadhu, M. Mehta, R. Sagar		in children B. Hackenberg, Austria C. Grylli, W. Schuhmayer
P-38-04	Neurobiofeedback – therapeutic alternative or supplement? Influence of neurobiofeedback on behaviour, impulse control and electroneurophysiology in ADHD children E. Cionek-Szpak, Germany	P-38-11	Sensory stimulation reduces symptoms associated with sensory integration deficiency in Attention Deficit Hyper- activity Disorder children H. Haghgoo, Iran S. A. Hosseini
P-38-05	F. Poustka, C. Stadler, N. Panzer, M. Holtmann  The effectiveness of group parent	P-38-12	Effects of gum chewing on vigilance in children with ADHD L. Tucha, The Netherlands
	management training on behavioral disorders among 4 to 10 year old ADHD children P. Houshvar, Iran S. Zarshenas, F. Behnia, E. Pishyareh	P-38-13 Parent training for presch research protocol for a rand trolled, multi-center effect	T. A. Sontag, K. W. Lange, O. Tucha  Parent training for preschool ADHD: research protocol for a randomised controlled, multi-center effectiveness trial of the New Forest Parenting Programme
P-38-06	Efficacy of multimodal intervention for children with Attention Deficit Hyperactivity Disorder (ADHD) – An Indian study  R. Gopalan, Malaysia	P-38-14	in a clinical sample of Danish children AM. Lange, Denmark  Effect of the cognitive remediation at adolescent with ADHD M. Bader, Switzerland
	A. Oommen, S. Srinath		N. Hadjikhani, B. Pierrehumbert, S. Leopizzi, O. Halfon

P-38-15 P-38-16	Attention Deficit Hyperactivity Disorder in children with eplipsy: Response time profile and effect of Methylphenidate P. Berquin, France A. Delignières, E. Bourel-Ponchel, A. Simonot, L. Querne  Concerta® XL treatment for attention-deficit hyperactivity disorder: A retrospective case review of clinical outcomes	P-39-05	The NK1 receptor 'knockout' mouse model of Attention Deficit Hyperactivity Disorder: Effects of d-amphetamine on impaired cognitive performance / response control in the 5-Choice Serial Reaction-Time Task S. C. Stanford, United Kingdom T. C. Yan, R. K. Weir, J. A. Dudley, E. M. Grabowska, Y. Peña Oliver, T. Ripley, S. P. Hunt, D. N. Stephens
P-39	and treatment choice in a cohort of paediatric outpatients L. Pert, United Kingdom C. Steer  Guided Poster Tour	P-39-06	Link between insulin resistance, hypertension and Attention Deficit Hyperactive Disorder E. Grünblatt, Switzerland J. Bartl, A. Borst, Dl. luhos, P. Riederer,
14.30 – 16.00			M. Salkovic-Petrisic, S. Walitza
Experimental	Models  : A. Reif, Germany  E. Grünblatt, Switzerland	P-39-07	Effect of atomoxetine on tyrosine hydro- xylase (TH) in animal model of Attention Deficit Hyperactity Disorder: Adult male Spontaneously Hypertensive Rat (SHR) S. Moon, Republic of Korea
P-39-01	A simple behavioral paradigm to measure impulsive behavior in an animal model of Attention Deficit Hyperactivity Disorder (ADHD), the spontaneously hypertensive rats P. Kim, Republic of Korea I. Campomayor dela Pena, I. Choi, C. S. Choi, J. H. Ryu, J. H. Cheong, C. Y. Shin	P-39-08	J. Min, C. Kim, G. Bahn  Long-term oral application of Atomoxetine leads to increased SNAP-25 expression T. Lempp, Germany S. W. Tönnes, C. M. Freitag, G. Geisslinger, E. Niederberger
P-39-02	Effects of early stress on impulsivity and reward learning in a novel animal model for ADHD J. Kunzler, Germany A. K. Braun, J. Bock	P-39-09	Effects of acute and chronic Methylphenidate application on free radical formation in rats HW. Clement, Germany O. Sommer, A. Hoinkes, P. Heiser, E. Schulz
P-39-03	Behavioral phenotyping of heterozygous Snap25 knockout mice as a potential model of ADHD A. Post, Germany S. Popp, A. Schmitt, A. Reif, KP. Lesch	P-39-10	Age dependent effects of Atomoxetine - chronic treatment causes differential alteration of Monoaminergic trans- porters and postsynaptic proteins in rodents P. T. Udvardi, Germany
P-39-04	Effects of BLK-030 and BLK-032 in a preclinical model of Attention Deficit		S. Liebau, J. Dreyhaupt, J. M. Fegert, T. M. Böckers, A. G. Ludolph
	Hyperactivity Disorder. Comparison with mazindol, modafinil and haloperidol JC. Bizot, France S. David, N. Fery, F. Trovero, M. Lecendreux, L. Ferrie, B. Figadère, E. Konofal	P-39-11	Methylphenidate treatment in the spontaneously hypertensive rat: Influence on Methylphenidate self-administration and reinstatement in comparison with Wistar rats I. Dela Pena, Republic of Korea H. S. Ahn, J. C. Lee, C. Y. Shin, J. H. Cheong



P-40	Guided Poster Tour	P-40-09	Video-assisted observation of facial	
14.30-16.00	) h Main Foyer		expression and neuropsychological QbTest-features in children with ADHD	
Miscellaneou Chairpersons	s I : O. Tucha, The Netherlands U. Müller, United Kingdom		share a curvilinear course and both of them indicate the same optimal methylphenidate dose HJ. Kuehle, Germany	
children with hype	Hostility and anger expression at school children with hyperkinetic disorder I. Martsenkovsky, Ukraine	P-41	P. Rautzenberg, R. Lefering  Guided Poster Tour	
D 40 00	I. Martsenkovska	14.30 – 16.00	h Main Foyer	
P-40-02	Motor learning training decreases depression and helps to free up cognitive resources in older people N. Trushkova, Italy	Miscellaneou Chairpersons	s II : J. Thome, Germany F. Reimherr, USA	
P-40-03	Parenting stress in mothers of children with and without Attention Deficit Hyperactivity Disorder (ADHD) S. Yousefi, Iran A. Soltanifar, S. Teimouri	P-41-01	Different expectations of AD(H)D medication by doctors and patients H. Niederhofer, Germany B. Mueller	
P-40-04	Diagnostic indicators for multiple X and Y chromosome disorders in pediatric age A. Verri, Italy A. Cremante, F. Clerici, L. Nespoli	P-41-02	Quality assured medical care for ADHD patients – first results of an agreement with health insurance funds to improve care in Germany C. Schaff, Germany D. Best, KP. Grosse	
P-40-05	Age-related structural vascular changes at persons with cardiovascula risk factors G. Rozikhodjaeva, Uzbekistan Z. Ikramova, F. Rozikhodjaeva	P-41-03	Determining the effectiveness of living skills on reduction of morbid symptoms amongst students contracted Attention Deficit Hyperactivity Disorder P. Azizi Khereshki, Iran	
P-40-06	Psychiatric disorders among children living in orphanages – experience from Kashmir Y. Rather, India	P-41-04	H. Azizi Khereshki, M. Darini, D. Darini  Positive aspects of Attention Deficit Hyperactivity Disorder M. Fitzgerald, Ireland	
P-40-07	M. Margoob  The children living in orphanages in conflict area Kashmir: An exploration of their nurture, nature and needs Y. Rather, India M. Margoob	P-41-05	Stress level, life regard and coping strategies of wives with alcoholic husbands in Karnataka India: A basis for an intervention program S. Lewis, Philippines J. Lewis, R. Caballero, L. R. Natuel	
P-40-08	Quality of life assessment: A study among urban and rural elderly of West Bengal	P-41-06	Challenges in ADHD knowledge transfer J. Sadek, Canada L. Hechtman	
	M. Maity, USA B. Mukhopadhyay	P-41-07	Attention and executive function using nepsy in sickle cell anemia N. Argollo, Brazil S. Nunes, D. L. Miranda, R. Lucena, A. T. Reis, A. Gramacho, N. Abreu	

P-41-08	Research settings in outpatient practices  - challenges and prospects	HT-14	Hot Topic Symposium
	P. Greven, Germany	16.00-17.30	) h Hall 3
P-41-09	S. Buchmann, L. Beyer  Soft signs of childhood sexual abuse on the neurocognitive functioning among		OHD on the risk for delinquent behaviour : S. Young, United Kingdom D. Hay, Australia
	<b>college women</b> J. Iglesias, Philippines	HT-14-01	<b>Adult ADHD and pathological gambling</b> W. Retz, Germany
P-41-10	Quality of Life and psycho-social outcomes as evolutionary aspects of ADHD  J. Quintero, Spain	HT-14-02	Impact of ADHD on behavior disorders in prison inmates G. Gudjonsson, United Kingdom
	M. Loro, N. Garcia Campos, B. Jimenez, K. Tajima, L. De Anta, M. Benitez, D. Zam- brano, J. Correas	HT-14-03	<b>ADHD modulates the risk for reactive violence</b> M. Rösler, Germany
P-41-11	Outcomes of peripheral social communication clinic in Midessex,UK for children suspected to have a diagnosis of Autism spectrum disorder P. Sahare, United Kingdom L. Murtaza	HT-14-04	Does childhood treatment of ADHD decline the risk for adult antisocial behaviour H. Soderstrom, Sweden
		HT-15	Hot Topic Symposium
15.30 – 16.0	0 h Coffee Break	16.00-17.30	) h Hall 6
HT-13	Hot Topic Symposium h Hall 2		thmicity in ADHD patients through life time : J. Thome, Germany S. Kooij, The Netherlands
ADHD	cologic interventions for the treatment of  M. Döpfner, Germany	HT-15-01	Changes of circadian behaviour in ADHD patients S. Kooij, The Netherlands
Chairpersons	M. Danckaerts, Belgium	HT-15-02	Impact of ADHD medication on circadian
HT-13-01	<b>Dietary Interventions in ADHD</b> J. Buitelaar, The Netherlands		<b>rhythms and clock gene expression</b> A. Coogan, Ireland
HT-13-02	<b>Effects of family based interventions</b> M. Döpfner, Germany		

HT-13-03

HT-13-04

Effects of school based intervention

Effects of Omega 3/6 dietary supple-

M. Danckaerts, Belgium

ments in ADHD
M. Johnson, Sweden



of methylphenidate and atomoxetine

D. L. Gilbert, USA

HT-15-03 Insomnia and morning/evening pre-**YS-02 Young Scientist Session** ference among ADHD patients com-Hall 8 16.00-17.30 h pared to healthy individuals and other patients with psychiatric disorders Young Scientist Award Session II B. I. Voinescu, Romania Chairpersons: P. Asherson, United Kingdom A. Szentagotai, A. Dobrean R. G. Klein, USA HT-15-04 **CLOCK** genes polymorphisms and YS-02-01 Non-shared environmental effects alterations of CLOCK gene expression of birth weight on ADHD symptoms in ADHD patients persist into early adolescence. A 10-year J. Thome, Germany longitudinal twin study C. Greven, United Kingdom **Hot Topic Symposium** YS-02-02 Interactions between self-regulation and aspects of parenting in predicting 16.00-17.30 h Hall 4/5 symptoms of Attention Deficit Hyper-Pharmacoimaging in ADHD activity Disorder Chairpersons: K. Rubia, United Kingdom A. Lordos, Cyprus J. Newcorn, USA YS-02-03 Differences in functional connectivity HT-16-01 Discrimination of methylphenidate and patterns during response inhibition in atomoxetine in healthy volunteers using drug naive children with ADHD **fMRI** H. Slama, Belgium M. A. Mehta, United Kingdom YS-02-04 Association between dopamine-ß-HT-16-02 Head to head comparison of single hydroxylase gene and Attention Deficit dose effects of methylphenidate and Hyperactivity Disorder in Han Chinese atomoxetine in fMRI of ADHD children bovs K. Rubia, United Kingdom N. Ji, People's Republic of China HT-16-03 Head to head comparison of 6 weeks treatment effects of methylphenidate VS-01 **Video Session** and atomoxetine in fMRI of ADHD 16.00-17.30 h Hall 7 children J. Newcorn, USA Neuro-psychiatric movement disorders in children, adolescents and adults HT-16-04 TMS-evoked motor cortex inhibition as Chairpersons: A. Warnke, Germany biomarker of ADHD severity and effects

J. Volkmann, Germany

**ES-08 Educational Seminar** 07.45-08.30 h

Hall 4/5

**PS-04 Plenary Session** 

08.30-10.30 h

PS-04-01

Therapy of co-morbid disorders in child and adolescent **ADHD** 

Chairpersons: R. Taurines, Germany

T. Renner, Germany

Update on treatment of ADHD in childhood, adolescence and adults

Hall 2

**Coffee Break** 

Chairpersons: J. Deckert, Germany

D. Coghill, United Kingdom

Optimizing individually tailored phar-

macotherapy in children and adoles-

**ES-09 Educational Seminar** 

07.45-08.30 h Hall 6

Therapy of co-morbid disorders in adult ADHD

Chairpersons: E. Sobanski, Germany J. Krause, Germany

D. Coghill, United Kingdom

ADHD through the life cycle PS-04-02 M. Weiss, Canada

**ES-10 Educational Seminar** 

07.45-08.30 h Hall 7 PS-04-03 What do we know about psychotherapeutic treatment in adult ADHD?

A. Philipsen, Germany

Dialectical behavioural therapy-based treatment in adult

Chairpersons: A. Philipsen, Germany C. Jacob, Germany

Efficacy of neurofeedback training PS-04-04

D. Brandeis, Switzerland

R. Drechsler

**Educational Seminar ES-11** 

07.45-08.30 h Hall 8

Coaching in adult ADHD

Chairpersons: A. Neuy-Bartmann, Germany

R. D'Amelio, Germany

**Plenary Session** 

Chairpersons: I. Heuser, Germany

10.30-11.00 h

treatment

PS-05-02

11.00-13.00 h Hall 2

Persistence of ADHD: Brain imaging, genetics and

**Educational Seminar ES-12** 

07.45-08.30 h

R. G. Klein, USA Salon 11/12

Molecular neuroimaging in adult ADHD: Implications for the understanding the pathogenesis of ADHD

Chairperson: A. Kutzelnigg, Austria

Brain correlates of adult outcome in PS-05-01

> children with ADHD F. X. Castellanos, USA

**ES-13 Educational Seminar** understand clinical outcome in ADHD

07.45-08.30 h Salon 13/14

Evidenced-based treatment of child and adolescent

Chairpersons: M. Romanos, Germany

T. Jans, Germany

P. Shaw, USA PS-05-03 Attention Deficit Hyperactivity Dis-

order: From understanding genetics to

Using structural neuroimaging to

treatment M. Muenke, USA

**Novel treatments for ADHD** PS-05-04 **ES-14 Educational Seminar** 

H. Abikoff, USA

07.45-08.30 h Salon 15/16

The neurocognitive basis of ADHD-from cognitive dysfuntions to treatment options

Chairperson: M. Colla, Germany

### Satellite Symposia

#### 26 MAY 2011

SA-05 Satellite Symposium

16.00 – 17.00 h Hall 6

Medical treatment of adults with ADHD

SA-05-01 Efficacy and safety of MPH\_ER treatment in adult ADHD – results from the EMMA

and QUMEA trials W. Retz, Germany

SA-05-02 Impact of MPH-ER treatment on emo-

tional dysregulation and functional impairments in adults with ADHD

M. Rösler, Germany

SA-05-03 Medication adherence in adults with

**ADHD** 

E. Sobanski, Germany

Organizer: MEDICE Arzneimittel Pütter GmbH & Co. KG

SA-01 Satellite Symposium

17.00 – 18.30 h Hall 3

ADHD and adolescents

SA-01-01 Welcome and introductions

T. Banaschewski, Germany

SA-01-02 ADHD in adolescents: Impact,

symptoms and co-morbidities/ progression

R. W. Dittmann, Germany

SA-01-03 Clinical approaches in the comprehensive

treatment of adolescents with ADHD

P. Hill, United Kingdom

SA-01-04 Closing commentary

J. Fuentes, Spain

Organizer: Eli Lilly and Company

#### 27 MAY 2011

SA-02 Satellite Symposium

13.15–14.15 h Hall 3

ADHD in adolescents: Prognosis, functional outcomes and improving adherence

SA-02-01 Prognosis and functional outcomes in

**ADHD** 

J. Buitelaar, The Netherlands

SA-02-02 Respecting patient preferences impro-

ving adherence in adolescents

J. Fegert, Germany

Organizer: Janssen Pharmaceutica NV

SA-03 Satellite Symposium

17.45 – 18.45 h Hall 3

PUFAs and ADHD-More than an hypothesis?

Chairpersons: M. Döpfner, Germany

T. Banaschewski, Germany

SA-03-01 Efficacy of PUFAs in ADHD alone or in

combination with methylphenidate

E. Barragan, Mexico

SA-03-02 PUFAs in ADHD, correlation between

fatty acids blood values and clinical

response

M. Johnson, Sweden

Organizer: Vifor Pharma-Vifor Ltd.

28 MAY 2011

SA-04 Satellite Symposium

12.30-14.30 h

Hall 3

The diversity of ADHD

from assessment to treatment, moving through the years...

Moderator: P. Salgo, USA

Speaker: D. Coghill, United Kingdom

S. Kooij, The Netherlands

G. Mattingly, USA D. Quinn, Canada

A. Rothenberger, Germany

Organizer: Shire

#### Educational Goals – Friday, 27 May 2011

**ES-01** 

**Educational Seminar** 

07.45-08.30 h

Hall 4/5

Organisation and carrying out of parent training

Chairperson: C. Neuhaus, Germany

This parent-training program was developed for parents of children an adolescents with ADHD (and Comorbidities)-knowing very well, that in most families at least one parent has ADHD too. The program will be carried out in a group of 12-14 persons during one weekend, with two follow-up meetings (3 hours). After teaching the parents carefully in the neurobiological background of the disorder all the problems with selfregulation and the specific aspects of developmental pathology they experience in some role-play the effect of positive an negative communication. It is proven, that the kids need rules and structure, but it seems to be ultimatively important to communicate with them in a clear, friendly and respectful manner with positive "silent messages" (concerning the modulation of voice and mimic). A specific "behavior management" will be explained. In addition parents get help in analysing the preconditions of a conflict in order to alter the setting the next time, as ADHD very often is simply a problem of misunderstanding.

**ES-02** 

**Educational Seminar** 

07.45-08.30 h

Hall 6

ADHD and substance abuse: Problems and pitfalls in early identification and in treatment

Chairperson: D. Hay, Australia

Longitudinal data from the Australian Twin ADHD Project indicate that adolescents with ADHD begin to experiment with alcohol, tobacco and marijuana 3-4 years before age-matched controls. How do we identify why this happens, just which young people with ADHD are most at risk and what can we do about this? This presentation will focus on factors within the individual such as conditions comorbid with the ADHD and also on peer and family influences. Successful intervention must go well beyond just treating the ADHD and requires a much more multimodal approach. This will be discussed in the context of the recent Australian and other national guidelines for the management of ADHD. This presentation will offer a review of the clinical problems arising in the treatment of ADHD in patients with substance use disorders: differential diagnosis and comorbidity, treatment planning, choice of medication, treatment for non-abstinent patients, psycho-education, coaching and cognitive therapy.

For optimal results, ADHD treatment will have to be tailored to the needs of the individual patients. The main challenge is integrating adequate ADHD treatment in a global treatment plan, which deals effectively with the substance use disorder, the psychiatric comorbidity and the psychosocial problems.

ES-03

**Educational Seminar** 

07.45-08.30 h

Hall 7

Comorbid disorders or attention-deficit-spectrum disorders? What is the relationship between ADHD and Asperger's syndrome?

Chairpersons: L. Tebartz van Elst, Germany F. Poustka, Germany

At first glance ADHD and Asperger's syndrome or other high functioning autism spectrum disorders (ASD) seem to be well separated. While patients with ASD do have their core deficits in social communication, perception, and social interaction ADHD patients present with inattentiveness, impulsivity and motor hyperactivity. However in clinical practise there are many patients with ASD who are primarily diagnosed as suffering from ADHD. The reason for this is that many high functioning patients with ASD do have attentional problems which are very similar to those in ADHD. Patients with ASD also often do have problems with impulse control. At the same time patients with classical ADHD also may have severe problems with social perception and competence. In some cases there may be discussions among specialists as to whether a patient should be classified as suffering primarily from ADHD or ASD.

This difficult constellation in clinical practise is topic of this educational seminar. The differential diagnosis between these two entities – which both begin in early childhood – and hallmarks of clinical presentation as well as therapeutic strategies (for example treatment of inattention, impulsivity and aggression in both disorders) will be explored from the perspective of child- and adoloscent psychiatry (first talk Prof. Poustka) and adult psychiatry (second talk Prof. Tebartz van Elst).

The issue will be discussed based on case histories. Following the two key note lectures the focus of the seminar will be on case based discussions.

An exchange about differential diagnosis of and differential therapeutic approaches to symptoms like poor social perception and competence, impulsivity, emotional instability, hyperactivity, routines etc. will produce a better insight into how such phenomenological states may be classified and treated in clinical practice.



#### Educational Goals – Saturday, 28 May 2011

ES-04 Educational Seminar

07.45-08.30 h Hall 4/5 07.45-08.30 h

Diagnostic assessment of ADHD in adults using the new structured DIVa 2.0

Chairperson: S. Kooij, The Netherlands

The structured Diagnostic Interview for ADHD in adults (DIVA 2.0) was developed in 2007 at PsyQ in the Netherlands, and is currently being translated into 12 languages. The English, Norwegian and Dutch version are online available for free, Spanish and Swedish will follow soon (www.divacenter.eu). The instrument uses the DSM-IV criteria for ADHD and gives concrete examples of every criterium in both child- and adulthood in order to facilitate appropriate recognition and endorsement. In this seminar you will be introduced to DIVA 2.0 and learn how to use it in clinical practice.

ES-05 Educational Seminar

07.45-08.30 h Hall 6

Neurofeedback in the doctor's office

Chairperson: U. Strehl, Germany

Neurofeedback of Slow Cortical Potentials in ADHD Slow cortical potentials are slow shifts of brain activity that are near 0 Hz. They belong to the family of event-related potentials and regulate excitation thresholds. As in ADHD the regulation of excitation thresholds is impaired slow cortical potentials feedback is a viable option for therapy. While neurofeedback protocols of spontaneous oscillations of brain activity are well known, SCP-Feedback is being investigated only in the last couple of years. The aim of this seminar is to convey basic psychophysiological knowledge (EEG and Event related potentials) and to explain training protocols. Finally, evidence base, indications and clinical everyday-life will be discussed.

ES-06 Educational Seminar

Differential diagnosis of adult ADHD

Chairpersons: E. Sobanski, Germany

C. Jacob, Germany

In the diagnostic set-up of adult ADHD the main clinical problem is no longer differentiating ADHD from normal behavior but differentiating ADHD from other psychopathology. This requires that all ADHD lookalike conditions need to be considered in the evaluation of adult ADHD and viewed as part of the differential diagnosis of ADHD. This educational seminar presents the diagnostic procedures for adult ADHD regarding the evaluation of the most important differential diagnoses. We will discuss how adult ADHD can be differentiated from other psychiatric syndromes including affective and anxiety disorders as well as substance use disorders and personality disorders. We will also refer to general medical and neurological conditions including sleep disorders that can mimic adult ADHD symptoms.

ES-07 Educational Seminar

07.45-08.30 h

Hall 8

Hall 7

Psychometric assessment of adult ADHD

Chairpersons: A. Philipsen, Germany R.-D. Stieglitz, Switzerland

The diagnosis of Attention Deficit Hyperactivity Disorder (ADHD) in adults is a complex process especially if the disorder was not diagnosed during childhood. Different databases and data sources have to be considered. The seminar provides an overview of general problems of the assessment, the different steps of the diagnostic process and the instruments which can be useful to diagnose them. Available are interviews, self and observer rating scales. Finally some unsolved issues in the assessment of ADHD in adults are discussed.

### Educational Goals - Sunday, 29 May 2011

ES-08 Educational Seminar

07.45-08.30 h Hall 4/5 07.45-08.30 h

**ES-10** 

### Therapy of co-morbid disorders in child and adolescent ADHD

Chairpersons: R. Taurines, Germany T. Renner, Germany

Attention Deficit Hyperactivity Disorder (ADHD) has a high incidence of comorbidities with about two thirds of the patients suffering from other psychiatric disorders during lifetime. Comorbid conditions frequently result in severe impairment of everyday life with considerable functional and psychosocial problems. Thus, considerations on pharmacotherapy of ADHD should include comorbid disorders as, e.g., affective disorders, anxiety disorders or aggressive behaviour. Differential effects of stimulants and atomoxetine, as well as co-medication with other psychotropic drugs will be outlined.

ES-09 Educational Seminar

07.45-08.30 h Hall 6

#### Therapy of co-morbid disorders in adult ADHD

Chairpersons: E. Sobanski, Germany J. Krause, Germany

The treatment of co-morbid disorders in adult ADHD is often complicated and requires sophisticated treatment strategies. This educational seminar discusses treatment strategies for adult ADHD with co-morbid depressive disorders, substance use disorders, anxiety disorders, bipolar disorders and autism with focus on pharmacological interventions.

### Dialectical behavioural therapy-based treatment in adult ADHD

Hall 7

**Educational Seminar** 

Chairpersons: A. Philipsen, Germany C. Jacob, Germany

Due to the fact that co-occuring disorders and psychosocial consequences are often the primary problems in adult ADHD psychotherapy could be beneficial. Because of overlapping features in adult ADHD and borderline personality disorder (particularly deficits in emotion regulation, impulse control, low self esteem and disturbed interpersonal relationships) the psychotherapy is mainly based on the principles dialectical-behavioural treatment (DBT, Linehan, 1993). Cognitive-behavioural treatment (CBT) strategies are mainly integrated to modify maladaptive thoughts which interfere with the therapy (homework, acquirement of new skills). The program has been evaluated in two large RCTs in adult ADHD (Philipsen, Jacob et al.) as well as motherchild pairs (Jans, Warnke et al.) In the educational seminar we will focus on the following topics:-Background and reasons for a structured disorder oriented (group) program based on DBT-Structure and topics of the program (e.g. mindfulness, "chaos and control" strategies) -Current research status – Cases, questions and discussion

#### Please visit the

### **Poster Exhibition**

### in the Main Foyer on the Lobby Level

#### **Opening hours**

Thursday	26 May 2011	15.00 – 19.00 h
Friday	27 May 2011	09.00 – 17.00 h
Saturday	28 May 2011	09.00 – 17.00 h
Sunday	29 May 2011	09.00 – 13.00 h



### Educational Goals – Sunday, 29 May 2011

ES-11 Educational Seminar

07.45-08.30 h Hall 8 07.45-08.30 h Salon 13/14

Coaching in adult ADHD

Chairpersons: A. Neuy-Bartmann, Germany

R. D'Amelio, Germany

Adult ADHD patients often get a good understanding of disease mechanisms and coping strategies. However, they often find it difficult to transfer insights from therapy into daily routine. Here coaching offers a complementary technique. It encompasses an individual problem analysis and interventional strategies, eventually supported by the coach in the personal environment of the patient. Coaching involves management training techniques as well as specific cognitive behaviour therapy. It requires a trained coach with profound knowledge about adult ADHD and its specific problems. As such, coaching transfers experiences and represents an interface from clinical practice to daily routine, targeting a behavioural change in ADHD patients in terms of self discipline, self motivation, and emotional control.

ES-12 Educational Seminar

07.45 – 08.30 h Salon 11/12

Molecular neuroimaging in adult ADHD: Implications for the understanding the pathogenesis of ADHD

Chairpersons: A. Kutzelnigg, Austria R. Lanzenberger, Austria

So far, the complex mechanisms underlying ADHD are not fully understood. However, genetic, biochemical, pharmacological and molecular studies support the hypothesis that multiple neurotransmitter systems are involved in the pathogenesis of ADHD. Serotonergic neurotransmission may, in addition to dopamine and norepinephrine, play an important role in the aetiology of ADHD. Implications of recent molecular neuroimaging studies, especially on the role of serotonergic and noradrenergic neurotransmission in the pathogenesis of ADHD will be discussed during the educational seminar.

Evidenced-based treatment of child and adolescent

**Educational Seminar** 

Chairpersons: M. Romanos, Germany T. Jans, Germany

The treatment of Attention Deficit Hyperactivity Disorder (ADHD) in children and adolescents comprises a multimodal approach including medication, various types of psychotherapy, education or training, or a combination of treatments. This educational seminar gives an overview on evidence based interventions for ADHD in children and adolescents. Current guidelines for diagnosis and treatment are taken into account. Alternative treatment strategies will also briefly be discussed.

ES-14 Educational Seminar

07.45-08.30 h

Salon 15/16

The neurocognitive basis of ADHD – from cognitive dysfuntions to treatment options

Chairperson: M. Colla, Germany

Abstract not received.

Please book your ticket for the Educational Seminars in advance at the registration counter due to limited number of participants. Only valid in combination with the congress registration fee.

Fee per course: EUR 30

### We organize your success

CPO HANSER SERVICE is specialist in the field of Conference, Event, Destination and Association Management organizing events of any size throughout Germany and also abroad for more than 25 years.



### CONFERENCE - EVENT - DESTINATION - ASSOCIATION MANAGEMENT

### We offer you:

- the best congress organization
- state-of-the-art online solutions
- electronic abstract handling
- CME accreditation handling
- effective congress technology
- sponsoring and exhibition acquisition and management
- finance management
- professional tax solutions
- creative event programs
- inhouse graphic design
- association management

#### BERLIN

Paulsborner Straße 44 14193 Berlin

fon +49-30-300 669 0 fax +49-30-305 73 91 Email: berlin@cpo-hanser.de

#### HAMBURG

Zum Ehrenhain 34 22885 Barsbüttel

fon +49-40-670 882 0 fax +49-40-670 32 83 Email: hamburg@cpo-hanser.de

#### FRANKFURT

Julius-Reiber-Strasse 15a 64293 Darmstadt

fon: +49-6151-428 368 0 fax: +49-6151-428 368 9 Email: frankfurt@cpo-hanser.de

### www.cpo-hanser.de













### List of Exhibitors and Map

The organizers gratefully acknowledge the support of the following companies and associations (as per May 2011).


Company	Booth No.
Principal Sponsors	
Shire	11
Major Sponsors	
Janssen Pharmaceutica NV	10
Eli Lilly and Company	4
General Exhibitors	
ADHD Europe	18
AHG-Klinik für Kinder & Jugendliche	17
CADDRA	7
HBImed AG	8
W. Kohlhammer GmbH	13
Lexicor Medical Technology LLC	19

Company	Booth No.
MEDICE Arzneimittel Pütter GmbH & Co. KG	14
neuro Conn GmbH	3
Noldus Information Technology	5
Novartis Pharma GmbH	6
Pearson Assessment & Information GmbH	15 a
PhenoSys GmbH	15 b
PROTAC A/S	9
Qbtech AB	1
SensoDetect AB	16
Vifor SA	2
Wisepress Ltd.	12

#### **BRIDGE FOYER**

Medical Historical Exhibition on ADHD ISAAP Congress 2011 World Federation of ADHD

#### **EXHIBITION MAP – Central Lobby**



A		Bioulac, S	49	Drechsler, R	35
Abbes, Z. S	35, 55	Bizot, JC	59	Drevitska, O	30
Abdollahian, E	51	Boavida, J	57	Duguid, A	27
Abikoff, H	63	Bonnes, C	51		
Adibpour, P	47	Borregaard, K	29	E	
Aguilar, M	54	Boureghda, S	44	Edge, A	55
Al Ansari, A	40	Brandeis, D	55, 63	Efron, D	49
Albayrak, Ö		Buchli-Kammermann, J.		Ehlis, AC.	34, 43, 54
Al-Dakroury, W		Buchmann, J	22	Eich-Höchli, D	
Alfaiate, C		Buitelaar, J		El. Sayed Ahmad, T	58
Alizadeh, H		Burke, A		Emilsson, B	
Alkahtani, K		Buyck, I		Endres, D	
An, L		,,		Ercan, E	
Anney, R		C		Ercan, E. S 36, 37, 4	
Antoniuk, S		Caci, H	32 47 52	Esteki, M	
Argollo, N		Cangin, C		25:0:0.7	
Arrizabalaga, C		Castellanos, F. X		F	
Arruda, M		Cavangh, M		Fallgatter, A	21 23 35
Asherson, P		Cheung, C		Fallu, A	
Austin, TL.		Choi, J		Faraone, S	
Azevado, A		Cho, SC		Farrelly, G	
Azhdehfar, L		Cionek-Szpak, E		Fegert, J	
Azizi Khereshki, P				Fernandez Sastre, J. L	
·		Clement, HW			
Azzaoui, FZ	40	Coelho, L. F		Figaro, R	
D		Coghill, D		Fitzgerald, M	
B Company C	10	Cohen, R		Fleischhaker, C	
Bachmann, C		Colla, M		Fossati, A	
Bader, M		Conzelmann, A		Fourlani, E	
Baeyens, D		Coogan, A		Franke, B	
Baghani, T		Cucu-Ciuhan, G		Freire Barbosa, T	
Baijot, S		Cuhadaroglu Cetin, F		Freitag, C	
Bakhshi, S		Cuhadarolu, F	46	Fuentes, J	
Bakhtadze, S		_		Fürmaier, A. B	52
Banaschewski, T		D	24.40		
Barbante Casella, E.		Dabkowska, M		G	
Barbosa, D		D'Agati, E		Gambin, M	
Barker, E	43	D'Amelio, R	63, 68	Gangadharan, S	
Barragan, E		Danckaerts, M		Ganji, K	
Barta, C		Darini, M		Garcia-Barrera, M. A	
Barttfeld, P		Davenaranand, S		Garcia Cruz, J. M	
Basgul, S. S		Deckert, J		Gasior, M	
Beets, R		Dehghan, F		Geissler, J	
Beh-Pajooh, A		Dela Pena, I		Gera, P	
Ben Amor, L		Dias, F. F		Gerlach, M	
Bender, S		Diaz, MJ		Gétin, C	
Benkert, D		Dietrich, K		Geva, R	
Berquin, P		Direnfeld, E		Ghahramany, M	
Bhang, SY		Dittmann, R. W		Gilbert, D. L	
Biehl, S. C		Docet, M. F		Ginsberg, Y	
Bijlenga, D		Dogan, S		Gobbo, M. A	
Bilke-Hentsch, O	27. 48	Döpfner, M	37, 61, 64	Gökcen, C	30. 36



Call D	22	larkavia I	27	Larijani, Z. S	E 2
Goll, P		Jerkovic, I		Lazic, D	
Gonzalez, N		Ji, N Johnson, M		Leblanc, N	
Gonzalez-Perez, P		•		Lee, CS	
Gonzalez, R		Joseph, A. A		Lee, Y. S	
Gopalan, RGoulardins, J		Jucksch, V Judge, D		Lehmkuhl, U	
		Juage, D	Z1	Lemiere, J	
Greenhill, L		V		Lempp, T	
Greven, C		Kabukau Basay B	20	Lenox-Smith, A	
Greven, PGroen, Y		Kabukcu Basay, B		Lensing, M. B	
Grünblatt, E		Kalinina, M		Lesch, KP	
Gudjonsson, G22		Kapitány-Fövény, M		Lewis, S	
Guajonsson, G	01	Kaufmann, YA		Lim-Ashworth, N	
н		Kawatkar, A		Lim, S	
	21 20	Kaye, S			
Haavik, J		Kepes, N		Lischinsky, A	
Habeych, M		Kesic, A		Li, Z	
Hach, I		Khachidze, I		Lora-Espinosa, A	
Hackenberg, B		Khademi, H. S		Lordos, A	
Haghgoo, H		Kiive, E		Lordou, E	
Halmøy, A		Kim, HW		Ludolph, A	22, 36, 50
Hamilton, D		Kim, P			
Hanc, T		Kim, SC		M	
Harro, J		Kim, T. H		Macesic-Petrovic, D	
Häußinger, C		Klein, C		Ma, I	
Hay, D 22, 24		Klein, R. G 22,		Maier, S	
Hechtman, L		Klement, S		Maity, M	
Hegerl, U		Knecht, K		Malecki, U	
Heinzel, S		Knight, K		Maltezos, S	
Heiser, P		Kóbor, A		Manghan, B	
Hercigonja-Novkovic, V		Koch, AK		Manor, I	
Hervas, A		Kohn, M		Manovic, T	
Heuser, I		Komlach, I		Manti, F	
Hill, P		Konrad, A		Marta, G	
Holisaz, M		Konrad, K	•	Martsenkovsky, I	
Hong, S. B		Konstenius, M		Martsenkovska, I	
Houshvar, P	58	Kooij, S 22,		Marx, I	
		Kovacevic, J		Masumi, A	
I		Krause, J		Matthies, S	
lana, B		Krause, T		Mattingly, G	
Ibáñez, A	•	Kröger, A		McNaughton, E	
Iglesias, J		Kuehle, HJ		Mehta, M	
Ilarraza, T		Kumar, P		Mehta, M. A	
Inasaridze, K		Kunzler, J		Meier, N	
Inna, M		Kutzelnigg, A		Meisel, V	
Isenberg Bechar, D	37	Kwack, Y. S	58	Melegari, M. G	
				Mello, C. B. de	
J		L		Merkt, J	
Jacob, C 38, 45		Lakic, A		Merwood, A	
Jadidi, M		Lange, AM		Meshkat, D	
Jain, U38		Lange, K. W		Michielsen, M	
Jansen, I		Langner, D		Mies, À	
Jans, T 39, 40	0, 63, 68	Lanzenberger, R	68	Miguel, C. S	48

Millot D		42	Dimorro M	22	Cauca C	20
Millet, B			Pizarro, M		Sayce, SSchaeuble, B	
Miranda, M Mokros, L			Plattner, B Plichta, M. M		Schaff, C	
			Pornnoppadol, C		Schlander, M	
Mongia, M Monteiro, J			Porsdal, V		Schleepen, T	
Moon, S			Post, A		Schmidt, A	
Moreno, A			Poustka, F		Schneekloth, T	
Motta Palma, S. M			rousika, r	24, 20, 03	Schneider, H	
Mousa, S			Q		Schneider, M	
Muenke, M			Quinn, D	64	Schoefl, M	
Mukhopadhyay, K			Quintero, J		Schwarzkopf, W	
Müller, A			Quintero, J	01	Seabra-Santos, M. J	
Müller, U			R		Segenreich, D	
iviuliei, O	24, (	00	Rahimi, A	25	Seitz, A	
N			Ramelli, G. P		Semeijn, E	
Nafi, O		20	Ramos-Quiroga, J. A		Seo, W. S	
Najafi, S			Rather, Y		Shaw, P	
Nakhai, S			Reif, A.		Shin, D	
					Shin, MS	
Nazar, B. P			Reimherr, F		Shirataki, S	
Neuhaus, C			Renner, T. 21, 30, 31, 43,		Shrieber, B	
Neuy-Bartmann, A			Retz, W 21, 46,		· ·	
Newark, P. E			Rhodes, S		Shyu, LY.	
Newcorn, J			Richa, S		Sidlauskaite, J	
Niederhofer, H			Ringling, J		Silva, D	
Nielsen, N. P			Rizzoli-Cordoba, A		Silva, M. A	
Nielzén, S	2	49	Rizzutti, S		Simon, T	
			Robaey, P		Simon, V	
0		20	Rohde, L. A		Simsek, S	
Ocana, A			Romanos, M. 22, 28, 43,		Sinha Deb, K	
Ohnishi, M			Romstein, K		Skirrow, C	
Oláh, S			Rösler, M 21, 24, 38,		Skogli, E. W	
Oner, O			Rostain, A		Skounti, M	
Oner, P			Rostami, R		Slama, H	
Othman, S			Rothenberger, A 21, 1		Smith, D	
Ozawa, H	4	49	Rozikhodjaeva, G		Snyder, S	
			Rubia, K		Sobanski, E 45, 50,	
P		2.6	Rubio, B		Socanski, D	
Palaniappan, P			Rucklidge, A. P. J		Soderstrom, H	
Paliokosta, E			Ruhl, U	48	Solanto, M	
Palma, S. M. M			_		Song, D	
Paloscia, C			S	20	Son, J	
Parand, A			Saberi, H		Sørensen, A	
Pazvantoglu, O			Sabuncuoglu, O		Sorensen, L	
Periotto, M			Sadek, J		Souza, I	
Perlov, E			Sagar, R		Sprich, S	
Pert, L			Sagutdinova, E		Stanford, S. C	
Peters, H			Sahare, P		Steinhausen, HC	
Petrakis, I			Salgo, P		Stieglitz, RD.	
Peyre, H			Saliba, K		Storebø, O. J	
Philipp-Wiegmann, F.			Sandra, B		Stoy, M. S	
Philipsen, A			Sarzynska, J		Strehl, U	
Pinto, M	3	37	Sawitzky-Rose, B	49	Ströhle, A	21



Su, L 34	Tykochinsky, O40	Weißflog, L 31
Suwwan, R 54		Weiss, M 22, 44, 45, 52, 63
Syrek, S	U	Wilbertz, G 33
Sznabowicz, M	Udvardi, P. T59	Winton Brodeur, C 46
Szpindel, I 38, 42, 47		Wohl, M 31
	V	Wolf, I
T	Vaithiyam, A26	Woolfield, N 41
Takács, A35	Van Cauwenberge, V 57	Wozniak-Prus, M 34
Takahashi, T 52	van de Glind, G 22, 27	
Takon, I 57	van Den Ban, E49, 50	Y
Tanaka, Y 57	van den Brink, W22, 27	Yakovenko, E53
Taurines, R 22, 25, 48, 63, 67	van Stralen, J56	Yakut, C 54
Taylor, E 44, 45	Varughese, S 51	Yang, L 37
Tebartz van Elst, L 23, 24, 33, 65	Verri, A 60	Yang, S 21
Teschke, G. C	Vincent, A 56	Yarney, S 57
Thome, J 43, 60, 61, 62	Voinescu, B. I62	Yeh, CB
Thoumy, AL	Volkmann, J62	Yoo, H 37, 38
Tiemi Shimizu, V	Vuksanovic, N 31, 54	Yoon, R 48
Torgersen, T 38		Young, S 45, 61
Trembach, A 55	W	Yousefi, S 60
Trott, GE	Walitza, S24, 26, 46	
Trushkova, N 60	Wandschneider, R 43, 58	Z
Tucha, L 58	Wang, MY29	Zasyekina, L
Tucha, O22, 41, 60	Warnke, A 24, 62	Zepf, F 21, 39, 53
Tufekci, A31	Warnke, M. H 30	



www.adhd-federation.org

# World Federation of ADHD Attention Deficit Hyperactivity Disorder

**President** Prof. Dr. Andreas Warnke, Germany **3rd International Congress on ADHD** From Childhood to Adult Disease



#### **SAVE THE DATE**

we look forward meeting you at the

**4<sup>th</sup> International Congress on ADHD** From Childhood to Adult Disease

6 – 9 June 2013, Milan, Italy

- Exchanging information on developments
- Advance the clinical and basic research
- Scientific, scholarly and educational training
- Collaboration with other related professional and lay organisations

#### www.adhd-congress.org

Global Head Office and Congress and Exhibition Office

**CPOMANSER®** SERVICE

CPO HANSER SERVICE
Zum Ehrenhain 34
22885 Barsbüttel, Germany
Phone: +49 - 40 - 670 882 0
Fax: +49 - 40 - 670 32 83
Email: adhd@cpo-hanser.de

#### CONGRESS AND EXHIBITION OFFICE

#### CPOMANSER® SERVICE

CPO HANSER SERVICE Zum Ehrenhain 34

22885 Barsbüttel, Germany
Phone: +49-40-670 88 20
Fax: +49-40-670 32 83
Email: adhd2011@cpo-hanser.de

www.adhd-congress.org